

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture Palo Santo Vibe  
Number mixture  
UFI 10000029  
QC30-P0PR-R007-M2US
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Środki aromatyzujące: Kompozycja zapachowa  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA  
Address MARSZAŁKOWSKA 58 M15, WARSZAWA, 00-545  
Poland  
VAT number PL7011189826  
Phone +48 534 541 490  
Email sklep@topwosk.pl  
Web address www.topwosk.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.

Skin Irrit. 2, H315  
Skin Sens. 1A, H317  
Eye Irrit. 2, H319  
Aquatic Chronic 2, H411

#### Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

- 2.2. Label elements**

#### Hazard pictogram



#### Signal word

Warning

#### Hazardous substances

2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphtalene (main isomer)  
eugenol  
3-phenylprop-2-enal  
methyl 2,4-dihydroxy-3,6- dimethylbenzoate

#### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing mist/vapours/spray.  
P264 Wash hands and exposed parts of the body thoroughly after handling.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date	26th February 2026	Version	3
---------------	--------------------	---------	---

P280	Wear eye protection/protective gloves/protective clothing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 54464-57-2 EC: 915-730-3 Registration number: 01-2119489989-04	2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphtalene (main isomer)	≥5-<10	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 (M=1)	
CAS: 97-53-0 EC: 202-589-1 Registration number: 01-2119971802-33	eugenol	≥1-<5	Skin Sens. 1B, H317 Eye Irrit. 2, H319	
Index: 604-032-00-1 CAS: 89-83-8 EC: 201-944-8 Registration number: 01-2119511177-46	thymol	≥1-<3	Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Chronic 2, H411	
CAS: 1335-46-2 EC: 942-741-0 Registration number: 01-2119471851-35	1-(2,6,6-Trimethylcyclohex-2-en-1- yl)pent-1-en-3-one	≥1-<2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	
CAS: 14901-07-6 EC: 201-224-3 Registration number: 01-2119449921-34	4-(2,6,6-Trimethylcyclohex-1-en-1- yl)but-3-en-2-one (= ionone beta)	≥1-<2.5	Aquatic Chronic 2, H411	
CAS: 101-84-8 EC: 202-981-2 Registration number: 01-2119472545-33	diphenyl ether	≥0.25-<1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	1
CAS: 67634-00-8 EC: 916-328-0 Registration number: 01-2120794630-50	2-propenyl 2(3)-methylbutoxyacetate	≥0.25-<1	Acute Tox. 4, H302+H312 Acute Tox. 2, H330 STOT RE 2, H373 (liver) Aquatic Acute 1, H400 (M=1)	
Index: 606-155-00-6 CAS: 104-55-2 EC: 203-213-9 Registration number: 01-2119935242-45	3-phenylprop-2-enal	≥0.25-<1	Skin Sens. 1A, H317 Aquatic Chronic 3, H412 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.01 %	
CAS: 4707-47-5 EC: 225-193-0 Registration number: 01-2120762759-36	methyl 2,4-dihydroxy-3,6-dimethylbenzoate	≥0.1-<1	Skin Sens. 1B, H317	

#### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

##### If swallowed

Rinse out the mouth with water and provide 0.2-0.5 L of water. Provide medical treatment if the person has any health problems.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Not expected.

##### If on skin

May cause an allergic skin reaction.

##### If in eyes

Causes serious eye irritation.

##### If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive (EU) 2017/164

Substance name (component)	Type	Value
diphenyl ether (CAS: 101-84-8)	OEL 8 hours	7 mg/m <sup>3</sup>
	OEL 8 hours	1 ppm
	OEL 15 minutes	14 mg/m <sup>3</sup>
	OEL 15 minutes	2 ppm

### 8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
		>10 min	1

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	characteristic
Odour threshold	No data available
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	data not available

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

Lower and upper explosion limit	data not available
Flash point	>100 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Viscosity	No data available
Solubility in water	immiscible
Solubility in fats	No data available
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure	No data available
Density and/or relative density	
Density	data not available
Relative density	No data available
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

Oxidising properties	No data available
Vapour density	No data available
Bulk density	No data available g/cm <sup>3</sup>

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

#### Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Palo Santo Vibe						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	Metoda obliczeniowa	>2000 mg/kg			
Inhalation	LC <sub>50</sub>	Metoda obliczeniowa	>20.00 mg/l	4 hours		

2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphtalene (main isomer)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		>5000 mg/kg bw			

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date                      26th February 2026                      Version                      3

2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphtalene (main isomer)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	ATE		>5000 mg/kg bw			

2-propenyl 2(3)-methylbutoxyacetate						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		730 mg/kg bw			
Oral	LD <sub>50</sub>		730 mg/kg		Rat	

3-phenylprop-2-enal						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		2220 mg/kg bw			
Oral	LD <sub>50</sub>		2220 mg/kg		Rat	

4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (= ionone beta)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		3940 mg/kg bw			

diphenyl ether						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		2450 mg/kg bw			
Dermal	ATE		>7940 mg/kg bw			
Oral	LD <sub>50</sub>		2450 mg/kg		Rat	
Dermal	LD <sub>50</sub>		>7940 mg/kg		Rabbit	

eugenol						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		2130 mg/kg bw			

methyl 2,4-dihydroxy-3,6- dimethylbenzoate						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		>8000 mg/kg bw			
Dermal	ATE		>5000 mg/kg bw			

thymol						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		980 mg/kg bw			
Oral	LD <sub>50</sub>		980 mg/kg		Rat	

**Skin corrosion/irritation**

Causes skin irritation. Data for the components of the mixture are not available.

**Serious eye damage/irritation**

Causes serious eye irritation. Data for the components of the mixture are not available.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction. Data for the components of the mixture are not available.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

### Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

#### Acute toxicity

diphenyl ether				
Parameter	Value	Exposure time	Species	Environment
Współczynnik M	1			

### 12.2. Persistence and degradability

No data are available for either the mixture or the components.

### 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

### 12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

### 12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

### 12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

16 03 05\* organic wastes containing hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

not available

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H373	May cause damage to the liver through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date 26th February 2026 Version 3

H412 Harmful to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P261 Avoid breathing mist/vapours/spray.  
P264 Wash hands and exposed parts of the body thoroughly after handling.  
P280 Wear eye protection/protective gloves/protective clothing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity  
ADR Agreement concerning the international carriage of dangerous goods by road  
Aquatic Acute Hazardous to the aquatic environment  
Aquatic Chronic Hazardous to the aquatic environment (chronic)  
ATE Acute toxicity estimate  
BCF Bioconcentration Factor  
CAS Chemical Abstracts Service  
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures  
EC Identification code for each substance listed in EINECS  
EINECS European Inventory of Existing Commercial Chemical Substances  
EmS Emergency Response Procedures for Ships Carrying Dangerous Goods  
EU European Union  
EuPCS European Product Categorisation System  
Eye Irrit. Eye irritation  
IATA International Air Transport Association  
IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals  
ICAO International Civil Aviation Organization  
IMDG International Maritime Dangerous Goods  
IMO International Maritime Organization  
INCI International Nomenclature of Cosmetic Ingredients  
ISO International Organization for Standardization  
IUPAC International Union of Pure and Applied Chemistry  
LC<sub>50</sub> Lethal concentration of a substance in which it can be expected death of 50% of the population  
LD<sub>50</sub> Lethal dose of a substance in which it can be expected death of 50% of the population  
log Kow Octanol-water partition coefficient  
OEL Occupational Exposure Limits  
PBT Persistent, bioaccumulative and toxic  
PMT Persistent, mobile and toxic  
ppm Parts per million  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID Regulation concerning the International Carriage of Dangerous Goods by Rail  
Skin Corr. Skin corrosion  
Skin Irrit. Skin irritation  
Skin Sens. Skin sensitization  
STOT RE Specific target organ toxicity - repeated exposure  
UN number Four-figure identification number of the substance or article taken from the UN Model Regulations  
UVCB Substances of unknown or variable composition, complex reaction products or biological materials  
VOC Volatile organic compounds  
vPvB Very persistent and very bioaccumulative

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Palo Santo Vibe

Creation date	26th February 2026	Version	3
---------------	--------------------	---------	---

vPvM

Very persistent and very mobile

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.