in accordance with Regulation (EC) No.



Cashmere Plum

Updated: October 11, 2024 Version 1.0 Printed on: October 24, 2024

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name Cashmere Plum Product number 10000004

UFI SD40-R0YH-E005-J5UJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use Fragrance composition

1.3 Details of the supplier of the safety data sheet

TOP WOSK PACIOREK I WĄŻ SPÓŁKA JAWNA Company Address Marszałkowska 58/15, 00-545 Warsaw

Phone +48 534 541 490 E-mail sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Eye irritation, Category 2 H319: Causes serious eve irritation.

Skin sensitization, Category H317: May cause an allergic skin reaction.

Harmful to reproduction, H361d: Suspected of damaging the unborn child.

Category 2

Long-term (chronic) hazard to H412: Harmful to aquatic life with

aquatic environment, Category 3 long-term effects.

2.2 Labeling elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word Warning

The website1 www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Hazard statements H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361d: Suspected of damaging the unborn child.

H412: Harmful to aquatic life with long-lasting effects.

Precautionary statements Prevention:

P201: Before use, read special precautions.

P261: Avoid breathing mist or vapors.

P273: Avoid release to the environment.

P280: Wear protective gloves/clothing. protective equipment/eye protection/face

protection/hearing protection.

Response:

P308 + P313: If exposed or concerned: Get medical

advice/attention.

P333 + P313: If skin irritation or rash occurs: Get

advice/seek medical attention.

Hazardous ingredients must be listed on the label:

2,2-dimethyl-1,3-dioxolan-4-ylmethanol – 100-79-8

linalool - 78-70-c

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaftalene (main isomer) – 54464-

57-2

2-methyl-3-phenyl-2-Propenal – 101-39-3

geraniol - 106-24-1

3,7-dimethyl-6-octen-1-ol (=citronellol) - 106-22-9

2-methoxy-4-(2-propen-1-yl)-phenol (eugenol) – 97-53-0

(R)-p-menta-1,8-dien - 5989-27-5

ethyl 2,3-epoxy-3-phenylbutyrate – 77-83-8

1-Methoxy-4-Propenylbenzene (= Anethole) – 4180-23-8

3-phenyl-2-propenal (= Cinnamic aldehyde) – 104-55-2

The website 2

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article

57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percentage by weight]
2,2-dimethyl-1,3- dioxolan-4- ylmethanol	100-79-8 202-888-7 01-2120066005-66	Eye Irrit. 2; H319 Repr. 2; H361d Estimated acute toxicity Acute toxicity - oral: > 7,000 mg/kg	>= 30-< 50
2,6-dimethyl-7- octen-2-ol	18479-58-8 242-362-4 01-2119457274-37	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336	>= 1-< 5

The website3 www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

linalool 2-acetyl-	78-70-6 201-134-4 01-2119474016-42	(Central nervous system nervous system) Estimated acute toxicity - oral route: 3600.00 mg/kg Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral: 2 790.00 mg/kg	>= 1-< 5
2-acetyl- 1,2,3,4,5,6,7,8- octahydro- 2,3,8,8-tetra- methylnaphthal ene (main isomer)	54464-57-2 915-730-3 01-2119489899-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M factor (Chronic toxicity to the aquatic environment): 1 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 1-< 2.5
2-methyl-3-phenyl-2- propenal	101-39-3 202-938-8 01-2119538797-21	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3;	>= 0.25-< 1

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

		H412 M factor (Acute toxicity to the aquatic environment): 1 Estimated acute toxicity – oral route: 2050.00 mg/kg Acute toxicity – dermal: > 5000.00 mg/kg	
geraniol	106-24-1 203-377-1 01-2119552430-49	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Estimated acute toxicity Acute toxicity - oral route: 3 600.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 0.1-< 1
3,7-dimethyl-6- octen-1-ol (= citronellol)	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 3 450.00 mg/kg Acute toxicity - dermal: 2,650.00 mg/kg	>= 0.1-< 1

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

2-methoxy-4-(2- propen-1-yl)-phenol (eugenol)	97-53-0 202-589-1 01-2119971802-33	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 2130.00 mg/kg	>= 0.1-< 1
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-211952923-47	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral: 5 600.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 0.25-< 1
2-propenyl hexanoate (= Allyl hexanoate)	123-68-2 204-642-4 01-2119983573-26	Acute Tox. 3; H301 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M factor (Acute toxicity to the aquatic environment): 1 Estimated acute toxicity	>= 0.25-< 1

The website6 www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

		Acute toxicity - oral: 218.00 mg/kg Acute toxicity - dermal: 300.00 mg/kg	
ethyl 2,3-epoxy-3- phenylbutyrate	77-83-8 201-061 01-2119967770-28	Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral route: >5000.00mg/kg Acute toxicity - dermal: > 5000.00 mg/kg	>= 0.1-< 0.25
1-Methoxy-4- Propenylbenzene (= Anethole)	4180-23-8 224-052-0 01-2119979097-22	Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 2 090.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 0.1-< 1
3-phenyl-2-propenal (= Cinnamic aldehyde)	104-55-2 203-213-9 01-2119935242-45	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity -	>= 0.025-< 0.1

in accordance with Regulation (EC) No.



Yersion 1.0 Updated: October 11, 2024 Printed on: October 24, 2024	
τριτικό του	
Food route: 2 220.00 mg/kg	

Caalanaana Diii

The full text of the H statements cited in this section can be found in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Do not leave the injured person unattended. Remove from

the danger zone.

Show the attached Material Safety Data Sheet to the doctor.

of the Hazardous Substance.

If inhaled Place an unconscious person in a comfortable position and seek

medical advice.

If symptoms persist, call a doctor.

In case of skin contact

In case of skin contamination, rinse thoroughly with water.

If the chemical enters the ear canal, seek medical advice

immediately.

In case of contact with eyes Protect the undamaged eye. Remove

contact lenses.

Immediately rinse eyes with plenty of water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed Immediately consult a Poison Control Center or

doctor.

Keep the airway clear. DO NOT induce

vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person. If

symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms No data available

Hazards May cause an allergic skin reaction. Irritating to

eyes.

Suspected of damaging the unborn child.

4.3 Indications for any immediate medical assistance and special treatment of

the victim

Treatment Symptomatic

treatment.

The website8 www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024.

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media

Use water spray, alcohol-resistant foams, dry

chemicals, or carbon dioxide.

Unsuitable extinguishing media High-volume water stream

5.2 Special hazards arising from the substance or mixture

Special hazards during firefighting Exposure to decomposition products may be hazardous to

health.

Cool closed containers exposed to fire by spraying with water.

Do not allow water used to extinguish the fire to enter

the water supply or sewage system.

5.3 Information for the fire department

Special protective equipment for

firefighters

Further information

If necessary during firefighting operations, wear a

closed-circuit breathing apparatus.

In case of fire and/or explosion, do not inhale smoke.

Collect contaminated firefighting water separately. Do not dispose

of it in the sewage system.

Fire debris and contaminated firefighting water

must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions Keep people away from the spill/spillage on the

the windward side.

In an emergency, use approved

self-contained breathing apparatus. The material

may cause slippery surfaces. Use personal

protective equipment.

6.2 Environmental precautions

Environmental precautions Do not allow product to enter drains. If product enters

rivers, lakes, or drains,

notify the appropriate authorities.

Page **G** of **22** www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

6.3 Methods and materials to prevent the spread of contamination and to remove contamination

Cleaning methods Clean contaminated floors and objects thoroughly in accordance

with environmental regulations.

Absorb with inert absorbent material (e.g., sand, silica gel, acid

absorbent, universal absorbent, sawdust). Store in suitable, closed containers until

until disposal.

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Safe handling practices Individuals susceptible to skin sensitization or asthma, allergies,

chronic or recurrent respiratory problems should not be employed in any operations involving this mixture.

Do not breathe vapors/dust.

Avoid exposure – read the instructions before use. Avoid

contamination of skin and eyes.

Personal protective equipment: see section 8.

Do not eat, drink, or smoke in the area of use. Dispose of water

from smuggling in accordance with local and national

regulations.

Fire protection guidelines Normal fire protection measures.

Temperature class

Firefighting class

Dust explosion class

No data available

no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for rooms and Keep container tightly closed in a dry and

storage containers well-ventilated place.

Open containers must be resealed and stored upright to

prevent leakage.

Electrical installations/equipment must comply with

technical safety standards.

Other information about conditions Room temperature / 10-30°C (50-85°F)

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Storage Dry, well-ventilated, preferably full, hermetically sealed

secured.

Storage guidelines Protect from light.

German storage class (TRGS 10 Flammable liquids

510)

Other information No decomposition if stored and used

as recommended.

7.3 Specific end use(s)

Specific uses No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances with occupational exposure limits.

8.2 Exposure controls

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin.

Because product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that a potential exposure assessment be performed prior to use or

introduction of the product. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be performed to determine the effectiveness of any ventilation and

the need for additional SOI protection. The SOIs indicated below are recommended for the worst-case hazard scenario. A hazard assessment will identify the most appropriate measures to be taken. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last resort to avoid exposure. In all cases, appropriate technical and restrictive measures must be considered and applied before selecting personal protective equipment. PPE is selected by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

8.2.1 Technical measures

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines,

avoid the product only by maintaining adequate ventilation.

8.2.2 Personal protective equipment

Eye or face protection

Use safety glasses – goggles and face shields in accordance with EN 166 / ANSI Z87.1 or equivalent local standards

.

Hand protection

When handling substances in open systems, wear protective gloves. Check gloves before use. Train operators in proper use. If only incidental exposure is anticipated – work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in section 3 of this safety data sheet). Replace gloves frequently.

If direct skin contact is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must

exceed the contact time.

Other skin protection

Wear protective clothing covering hands and legs. The choice type of protective equipment should be made depending on the concentration and amount of the hazardous substance in a given location.

Respiratory protection

Use an apron or sleeve covers or a complete protective suit if exposure is expected.

Respiratory protection should be used if workplace exposure exceeds the required exposure limits

exceeds the required exposure limits

or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including respiratory or olfactory irritation. The choice of air purifiers or positive pressure depends on the results of the exposure assessment and the specifics of the activities and

potential airborne concentration.

In exceptional cases, use a certified positive pressure breathing apparatus.

12 22

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: 10/24/2024

If risk analysis indicates the need to use: – ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI

Z88.7).

In the absence of technical safeguards, use

a self-contained breathing apparatus or a full-face mask with

air supply.

Use filters that comply with CEN (EU) or NIOSH 42

CFR 84 (US) standards.

Thermal hazards Wear appropriate protective clothing if necessary.

Hygiene measures Remove contaminated clothing and protective equipment

before eating.

Do not eat, drink, or smoke while working. Wash hands after each contact with the product.

8.2.3 Environmental exposure control

General recommendations Do not allow the product to enter the sewage system.

If the product has entered rivers, lakes, or sewers, notify the

appropriate authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid Form liquid

Color Pale yellow to yellow

Taste Not specified
Aroma Fruity, forest, spicy
Aroma threshold Not applicable

Flash point 86 °C Method: Grabner mini closed cup ignition

Not determined Lower explosion limit Upper explosion limit Not determined Flammability Not applicable Particle size no data available Oxidizing properties No data available Auto-ignition temperature Not specified No data available Decomposition temperature not specified Ηα

Vapor pressure 0.1473 hPa at 20 °C (calculated, 99.9%)

Density 938.30 kg/m3 at 20 °C

Bulk density Not applicable Solubility in water Not specified

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Solubility/solidification practically insoluble
Partition coefficient: n-octanol/water Not applicable
Kinematic viscosity No data available
Relative vapor density No data available
Evaporation rate no data available
Explosive properties No data available

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and used

as recommended.

10.4 Conditions to avoid

Conditions to avoid No data available

10.5 Incompatible materials

Factors to avoid Not

applicable

10.6 Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition

No data available

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity

Acute toxicity - oral Estimated acute toxicity

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Dose: > 2,000 mg/kg Method:

Calculation method

Acute toxicity - oral route

2,2-dimethyl-1,3-dioxolan-4-ylmethanol
2,6-dimethyl-7-octen-2-ol
LD50 > 7,000 mg/kg, Species: Rat
LD50 3,600 mg/kg, Species: Rat
LD50 2,790 mg/kg, Species: Rat
LD50 2,790 mg/kg, Species: Rat
LD50 > 5,000 mg/kg, Species: Rat
LD50 > 5,000 mg/kg, Species: Rat
2,3,8,8-tetramethylnaphthalene (main
isomer)

2-methyl-3-phenyl--2-Propenal LD50 2,050 mg/kg, Species: Rat Geraniol LD50 3,600 mg/kg, Species: Rat 3,7-dimethyl-6-octen-1-ol (= citronellol) LD50 3,450 mg/kg, Species: Rat

2-methoxy-4-(2-propen-1-yl)-phenol LD50 2,130 mg/kg, Species: Guinea pig

(eugenol)
(R)-p-mentha-1,8-diene
LD50 5,600 mg/kg, Species: Mouse

2-propenyl hexanoate (= Allyl hexanoate thyl 2,3-epoxy-3-phenylbenzene (= LD50 218 mg/kg, Species: Rat LD50> 5,000 mg/kg, Species: Rat LD50 2.090 mg/kg, Species: Rat LD50 2.000 mg/kg, Sp

1-Methoxy-4-Propenylbenzene (= LD50 2,090 mg/kg, Species: Rat Anethole)

3-phenyl-2-propenal (= Cinnamic LD50 2,220 mg/kg, Species: Rat aldehyde)

Acute toxicity – via the respiratory tract

inhalation

No product data available.

Acute toxicity – after application to

skin

isomer)

Estimated acute toxicity

Dose: > 2,000 mg/kg Method:

Calculation method

Acute toxicity – after application to the skin

2-acetyl-1,2,3,4,5,6,7,8-octahydro-LD50> 5,000 mg/kg, Species: Rabbit 2,3,8,8-tetramethylnaphthalene (main

2-methoxy-4-(2-propen-1-yl)-phenol LD50> 5,000 mg/kg, Species: Rabbit geraniol LD50> 5,000 mg/kg, Species: Rabbit

3,7-dimethyl-6-octen-1-ol (= citronellol) LD50 2,650 mg/kg, Species: Rabbit (R)-p-mentha-1,8-diene LD50> 5,000 mg/kg, Species: Rabbit 2-propenyl hexanoate (= Allyl hexanoate) LD50 300 mg/kg, Species: Rabbit

15 22 www.topwosk.pl

in accordance with Regulation (EC) No.



Cashmere Plum

Updated: October 11, 2024 Printed on: October 24, 2024 Version 1.0

ethyl 2,3-epoxy-3-phenylbutyrate 1-Methoxy-4-Propenylbenzene (=

Anethole)

LD50> 5,000 mg/kg, Species: Rabbit LD50> 5,000 mg/kg, Species: Rabbit

Acute toxicity (other routes of

of administration)

No product data available.

Skin irritation May cause skin irritation and inflammation.

Irritating effect on the eyes Vapors may cause irritation to the eyes, respiratory

system, and skin.

and skin.

Sensitizing effect No product data available.

Mutagenic effect on reproductive cells

reproductive cells

No data available for this

product.

No data available for this Carcinogenicity

product.

Harmful effects on reproduction

Suspected of causing harm to the unborn child.

Toxic to organs or systems - Single exposure

Toxic to organs or

systems - Single exposure

No product data available.

Toxic to organs or systems - Repeated exposure

Substance toxic to organs or systems - Repeated exposure

No product data available.

No data available for this **Aspiration hazard**

product.

Phototoxicity No product data available.

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Further information

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product

Assessment

This substance/mixture does not contain any components considered to have endocrine-disrupting properties

according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100

at levels of 0.1% or higher.

Commission Delegated Regulation (EU) 2017/2100 at levels of

0.1% or higher.

Further information

Product:

Remarks

No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:

alpha-methylcinnamaldehyde:

M factor (Acute toxicity to the aquatic

environment):

allyl hexanoate:

M factor (Acute toxicity to the aquatic

environment)

1

1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility in soil

No data available

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

12.5 Results of PBT and vPvB assessment

Product

Assessment

This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

12.6 Endocrine disrupting properties

Product:

Assessment

This substance/mixture does not contain any components considered to have endocrine disrupting properties endocrine system according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

12.7 Other harmful effects of

Product:

Additional ecological information

Environmental hazards cannot be ruled out in the event of unprofessional use or disposal.

Harmful to aquatic organisms, causing

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product Dispose of at a licensed waste disposal facility. Dispose of in

long-term effects.

accordance with local regulations.

The product should not be allowed to enter the water system or

sewer system or soil.

Do not contaminate ponds, waterways, or sewers with the

product or used packaging.

Contaminated packaging Do not expose containers to high temperatures,

e.g., when working in high temperatures. Empty any remaining residue. Dispose

of as unused product.

Do not reuse empty containers.

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

N/A

14.2 Proper UN shipping name

Not regulated as dangerous goods

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for users

IMDG

IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Does not apply to the product in the condition in which it was delivered.

SECTION 15: Regulatory information

15.1 Regulations specific to the substance or mixture concerning safety, health, and environmental protection mixture

REACH - Candidate List of Substances substances of very high concern for Authorization (Article 59)

Legislation on prevention

Not prohibited and/or restricted

Not applicable

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

Serious malfunctions:

Water pollution class (Germany) WGK 2 significantly hazardous to water

Classification according to AwSV, Annex 1

(5.2)

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-statements:

H226 Flammable liquid and vapor.

H301 Toxic if swallowed.

H304 Ingestion and inhalation may be fatal.

death

H311 Toxic in contact with skin.

H315 Irritating to skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Irritating to eyes.

H336 May cause drowsiness or dizziness.

H361d It is suspected to be harmful to the unborn child.

H400 Very toxic to aquatic organisms.H410 Very toxic to aquatic life with

long-term effects.

H411 Toxic to aquatic life with long-lasting effects.

H412 Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670		New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112	APAC	South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074

in accordance with Regulation (EC) No.



Cashmere Plum

Version 1.0 Updated: October 11, 2024 Printed on: October 24, 2024

	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670	-	Japan	0120 015 230
	Norway	+47 2103 4452	-	Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182	-	Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750	-	Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573	-	Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech	+420 228 882 830	-	Philippines	+63 2 8231 2149
	Republic				
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
	All Middle	+44 1235 239671	-	Korea	+82 2 3479 8401
	East/Africa				
Middle East/Africa	Bahrain and	+44 1235 239671		Mexico	+52 55 5004 8763
Wildule East/Africa	Middle East				
	Africa				
	Africa/South	+27213002732	-	Brazil	+55 11 3197 5891
	Africa				
	USA and	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	Canada				
NOAM	USA and	+1 215 207 0061	-	Colombia	+57 1 508 7337
	Canada				
	USA and	+1 202 464 2554	-	Argentina	+54 11 5984 3690
	Canada				

in accordance with Regulation (EC) No.



			Cashmere	e Plum			
٧	ersion 1.0		Updated: October	11, 2024	Printed on:	: October 24, 2024	
	Global	Global	+44 1865 407333				