

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name	Cedarwood C Vanilla
Product number	10000069
UFI	9Q60-E0M7-P00H-EDK9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) hazard to aquatic environment, Category 1	H400: Very toxic to aquatic life organisms.
Long-term (chronic) hazard to aquatic environment, Category 2	H411: Toxic to aquatic life with causing long-term adverse effects.

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard		
Warning label	Caution	

SAFETY DATA SHEET

in accordance with Regulation (EC) No.



Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: October 24, 2024

Hazard statements

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long-lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing mist or vapors.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/

seek medical attention.

P362+ P364 Take off and wash contaminated clothing before reuse.

P391 Collect spillage.

Hazardous ingredients must be listed on the label:

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene(main isomer)

54464-57-2

2-hexyl-3-phenyl-2-propenal (trans & cis) 101-86-0

2H-1-benzopyran-2-one (=coumarin) 91-64-5

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) 115-95-7
linalool 78-70-6

3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate) 105-87-3

(R)-p-mentha-1,8-diene 5989-27-5

2-pentyl-3-phenyl-2-propen-1-al 122-40-7

Oils, Lemon 8008-56-8

Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (= Beta-pinene) 127-91-3

3-phenyl-2-propenal (= Cinnamicaldehyde) 104-55-2

isoeugenol 97-54-1

2.3 Other hazards

Hazards not otherwise classified None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration Number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percent by weight]
Benzyl benzoate	120-51-4 204-402-9 01-2119976371-33	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M factor	>= 50-< 70

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

		(Acute toxicity to the aquatic environment) : 1 Estimated acute toxicity Acute toxicity - oral route: 2,000.00 mg/kg Acute toxicity - dermal: 4,000.00 mg/kg	
2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphtalene (main isomer)	54464-57-2 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M factor (Chronic Toxicity to the aquatic environment) : 1 Estimated acute toxicity Acute toxicity - oral route:	>= 5—< 10

		> 5,000.00 mg/kg Acute toxicity - after application to the skin: > 5,000.00 mg/kg	
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0 165184-98-5 639-566-4 01-2119533092-50	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M factor (Acute toxicity for the aquatic environment): 1 Estimated acute toxicity Acute toxicity - oral route: 3,100.00 mg/kg	>= 5-< 10
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	121-33-5 204-465-2 01-2119516040-60	Eye Irrit. 2; H319 Estimated Acute toxicity Acute toxicity - oral route:	>= 1 -< 5

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

		3,300 mg/kg Acute toxicity - after application to the skin: 2,600 mg/kg	
2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7 01-2119949300-45	Acute Tox. 4; H302 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 500 mg/kg	>= 1-< 5
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	115-95-7 204-116-4 01-2119454789-19	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 13,934.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 1-< 5

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 2,790.00 mg/kg	>= 0.1—< 1
alpha cedrene	469-61-4 207-418-4	Skin Irrit. 2; H315 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity to the aquatic environment): 10 M factor (Chronic Toxicity to the aquatic environment): 10 Estimated	>= 0.25—< 1

		Acute toxicity Acute toxicity - oral: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	105-87-3 906-083-8 01-2119973483-29	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral route: 6,330.00 mg/kg	>= 0.1—< 0.25
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-2119529223-47	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400	>= 0.1—< 0,25

		<div>Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral: 5,600.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg</div>	
<div>2-pentyl-3-phenyl-2-propene-1-al</div>	<div>122-40-7 800-696-3 01-2119978288-18</div>	<div>Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral route: 3,730.00 mg/kg</div>	<div>>= 0.1—< 0.25</div>
<div>Oils, Lemon</div>	<div>8008-56-8 84929-31-7 284-515-8 01-2119495512-35</div>	<div>Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2;</div>	<div>>= 0.1—< 0,25</div>

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: October 24, 2024

		<div>H411</div> <div>Estimated</div> <div>acute toxicity Acute</div> <div>toxicity - after</div> <div>application to the</div> <div>skin: > 5,000.00</div> <div>mg/kg</div>	
<div>Bicyclo[3.1.1]heptane, 6,6-dimethyl- 2-methylene- (= Beta- pinene)</div>	<div>127-91-3</div> <div>204-872-5</div> <div>01-2119519230-54</div>	<div>Flam. Liq. 3; H226</div> <div>Skin Irrit. 2; H315</div> <div>Skin Sens. 1B;</div> <div>H317</div> <div>Asp. Tox. 1; H304</div> <div>Aquatic Acute 1;</div> <div>H400</div> <div>Aquatic Chronic 1;</div> <div>H410</div> <div>M factor</div> <div>(Acute toxicity</div> <div>for the aquatic</div> <div>environment</div> <div>): 1</div> <div>M factor</div> <div>(Chronic</div> <div>toxicity to</div> <div>the aquatic</div> <div>): 1</div>	<div>>= 0.1—< 0.25</div>

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

1,3,4,6,7,8-heksahydro- 4,6,6,7,8,8- heksametyloindeno[5,6- c]piran	1222-05-5 214-946-9 01-2119488227-29	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic Toxicity to the aquatic environment): 1	>= 0.1—< 0.25
3-phenyl-2-propenal (= Cinnamic aldehyde)	104-55-2 203-213-9 01-2119935242-45	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral route: 2,220.00 mg/kg	>= 0.025—< 0.1
isoeugenol	97-54-1	Acute Tox. 4; H302	>= 0.02—< 0.1

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

	5932-68-3 202-590-7 01-2120223682-61	Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 STOT SE 3; H335 (Respiratory system) Specific concentration limit Skin Sens. 1A; H317 >= 0.01 % Estimated acute toxicity Acute toxicity - oral: 1,560.00 mg/kg Acute toxicity - dermal: 1,770.00 mg/kg	
--	--	---	--

The full text of the H statements referred to in this section can be found in section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Do not leave the injured person unattended. Remove from the danger zone. Show the attached Material Safety Data Sheet to the doctor. of the Hazardous Substance.
If inhaled	Place an unconscious person in a comfortable position and seek medical advice. If symptoms persist, call a doctor.
In case of contact with skin	In case of skin contamination, rinse thoroughly with water. If the chemical enters the ear canal, seek medical advice immediately.
In case of contact with eyes	Protect the undamaged eye. Remove contact lenses. As a precaution, rinse eyes with water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Immediately consult a Poison Control Center or doctor. Keep the airway clear. DO NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms	No data available
Hazards	May cause an allergic skin reaction.

4.3 Indications for any immediate medical attention and special treatment of the victim

Treatment	Symptomatic treatment.
-----------	------------------------

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media	Use water spray, alcohol-resistant foams, dry
------------------------------	---

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: 10/24/2024

Inappropriate extinguishing agents	chemicals or carbon dioxide. High-volume water jet
------------------------------------	---

5.2 Special hazards associated with the substance or mixture

Special hazards during during firefighting	Prevent water used to extinguish the fire from entering the water supply or sewage system.
---	---

5.2 Information for the fire department

Special protective equipment for firefighters	If necessary during firefighting operations, wear a closed-circuit breathing apparatus.
Further information	Collect contaminated firefighting water separately. Do not dispose of it in the sewage system. Fire debris and contaminated firefighting water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions Precautions	In case of emergency, use an approved self-contained breathing apparatus. The material may cause surfaces to become slippery. Use personal protective equipment.
-------------------------------------	---

6.2 Environmental precautions

Environmental precautions environmental protection	Do not allow product to enter drains. If the product enters rivers, lakes, or the sewer system, notify the relevant authorities.
---	--

6.3 Methods and materials for preventing the spread of contamination and for removing contamination

Cleaning methods	Clean contaminated floors and objects thoroughly in accordance with environmental regulations. Absorb with inert absorbent material (e.g., sand, silica gel, acid absorbent, universal absorbent, sawdust). Store in suitable, closed containers until until disposal.
------------------	---

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: October 24, 2024

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage of substances and mixtures

7.1 Precautions for safe handling

Safe handling practices handling	Persons susceptible to skin sensitization or asthma, allergies, chronic or recurrent respiratory diseases should not be employed in any operations involving this mixture. Do not breathe vapors/dust. Avoid exposure - read the instructions before use. Avoid contamination of skin and eyes. Personal protective equipment: see section 8. Do not eat, drink, or smoke in the area of use. Dispose of wash water in accordance with local and national regulations.
Fire protection guidelines	Normal fire protection measures.
Temperature class	No data available
Firefighting class	No data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers	Store the container tightly closed in a dry and well-ventilated place. Open containers must be resealed and stored upright to prevent leakage. Electrical installations/equipment must comply with technical safety standards.
Other information on storage conditions	Room temperature / 10-30°C (50-85°F) Dry, well-ventilated, preferably full, hermetically sealed
Storage guidelines	Protect from light.
German storage class (TRGS 510)	10 Flammable liquids
Other information	No decomposition if stored and used as recommended.

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: October 24, 2024

7.3 Specific end use(s)

Specific uses	No data available
---------------	-------------------

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Does not contain substances with occupational exposure limits.

8.2 Exposure controls

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin. Since product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that a potential exposure assessment be performed exposure assessment before using or introducing the product. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOI indicated below are recommended for the worst-case hazard scenario. A hazard assessment will identify the more appropriate measures that should be taken. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last method of avoiding exposure. In each case, appropriate technical and organizational measures should be considered and implemented before selecting personal protective equipment. The selection of PPE is made by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

8.2.1 Engineering Controls

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye or face protection	Wear safety glasses or goggles that meet EN 166/ANSI Z87.1 or equivalent local standards.
Hand protection	Wear protective gloves when handling substances in open systems. Check gloves before use. Train operators in proper use. If only incidental exposure is anticipated : work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals listed in section 3 of this safety data sheet. Replace gloves frequently. If direct contact with skin is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must exceed the contact time.
Other skin protection	Wear protective clothing covering hands and legs. The choice of protective equipment should be made depending on the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected.
Respiratory protection	Respiratory protection should be used if exposure in the workplace exceeds the required exposure limits or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including, but not limited to, respiratory irritation or smell, or where indicated by an exposure assessment. The choice of air purifiers or the degree of of supply air overpressure will depend on the results of the exposure assessment, including the assessment of specific

	<p>actions and potential concentration in the air. In exceptional cases, use a certified self-contained breathing apparatus. If the risk analysis indicates the possibility of using a filter mask/half mask, use type: ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as engineering control protection.</p> <p>In the absence of technical safeguards, use a self-contained breathing apparatus or a full-face mask with air supply. Use filters and components that have been tested and meet the requirements of relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US).</p>
Thermal hazards	<p>If necessary, wear appropriate thermal protective clothing</p>
Hygiene measures	<p>Remove contaminated clothing and protective equipment before entering dining areas.</p> <p>Do not eat, drink, or smoke while working.</p> <p>Wash hands after each product handling.</p>
8.2.3 Environmental exposure controls	
General recommendations	<p>Do not allow the product to enter the sewage system. If the product enters rivers, lakes, or the sewer system, notify the relevant authorities.</p>

SECTION G: Physical and chemical properties

9.2 Information on basic physical and chemical properties

State of matter	liquid
Form	liquid
Color	Very light yellow to pale yellow
Taste	Not specified
Aroma	Floral, similar to vanilla
Aroma threshold	Not applicable
Flash point	> 107 °C Method: Grabner mini-ignition closed vessel
Lower explosion limit	Not specified
Upper explosion limit	Not specified
Flammability	Not applicable
Particle size	No data available

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: 24.10.2024

Oxidizing properties	No data available
Auto-ignition temperature	Not specified
Decomposition temperature	No data available
pH	not specified
Vapor pressure	0.0214 hPa at 20 °C Calculated (99.9%)
Density	1,073.06 kg/m3 at 20 °C
Bulk density	Not applicable
Solubility in water	Not specified
Solubility/solidification	Practically insoluble
Partition coefficient: n-octanol/water	Not applicable
Kinematic viscosity	No data available
Relative vapor density	No data available
Evaporation rate	no data available
Explosive properties	no data available

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions	No decomposition if stored and used as recommended.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid avoid	no data available
------------------------------	-------------------

10.5 Incompatible materials

Factors to avoid	Not applicable
------------------	-------------------

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: 10/24/2024

10.6 Hazardous decomposition products

Hazardous decomposition products	No data available
Decomposition	
Thermal decomposition	No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No 1272/2008

Acute toxicity	
Acute toxicity - oral route	Estimated acute toxicity Dose: > 2,000 mg/kg Method: Calculation method
Acute toxicity – oral	
Benzyl benzoate	LD50: 2,000 mg/kg Species: Rat
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphtalene (main isomer)	LD50:> 5,000 mg/kg Species: Rat
2-hexyl-3-phenyl-2-propenal (trans & cis)	LD50: 3,100 mg/kg Species: Rat
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	LD50: 3,300 mg/kg Species: Rat
2H-1-benzopyran-2-one (=coumarin)	Estimated acute toxicity: 500 mg/kg Species: Rat
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	LD50: 13,934 mg/kg Species: Rat
linalool	LD50: 2,790 mg/kg Species: Rat
alpha cedrene	LD50:> 5,000 mg/kg Species: Rat
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	LD50: 6,330 mg/kg Species: Rat
(R)-p-mentha-1,8-diene	LD50: 5,600 mg/kg Species: Mouse
2-pentyl-3-phenyl-2-propen-1-al	LD50: 3,730 mg/kg Species: Rat
3-phenyl-2-propenal (= Cinnamic aldehyde)	LD50: 2,220 mg/kg Species: Rat
isoeugenol	LD50: 1,560 mg/kg Species: Rat
Acute toxicity – via the respiratory tract	No product data available.
the respiratory tract	

SAFETY DATA SHEET

in accordance with Regulation (EC) No.



Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

Acute toxicity – after application to the skin

No product data available.

Acute toxicity – after application to the skin

benzyl benzoate	LD50: 4,000 mg/kg Species: Rabbit
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphtalene (main isomer)	LD50:> 5,000 mg/kg Species: Rabbit
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	LD50: 2,600 mg/kg Species: Rat
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	LD50:> 5,000 mg/kg Species: Rabbit
alpha cedrene	LD50:> 5,000 mg/kg Species: Rabbit
(R)-p-mentha-1,8-diene	LD50:> 5,000 mg/kg Species: Rabbit
Oils, Lemon	LD50:> 5,000 mg/kg Species: Rabbit
Isoeugenol	LD50: 1,770 mg/kg Species: Rabbit

Acute toxicity (other routes of administration)

No product data available.

Skin irritation

May cause skin irritation and inflammation.

Eye irritation

Vapors may cause irritation to the eyes, respiratory system, and skin.

Sensitizing effect

No product data available.

Mutagenic effect on reproductive cells

No data available for this product.

Carcinogenicity

No data available for this product.

Reproductive toxicity

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: 24.10.2024

Not classified due to lack of data.	
Toxic to organs or systems - Single exposure	
Toxic to organs or systems - Single exposure	No product data available.
Toxic to organs or systems - Repeated exposure	
Substance toxic to organs or systems - Repeated exposure	No product data available.
Aspiration hazard	No data available for this product.
Phototoxicity	No product data available.
Further information	No data available

11.2 Information on other hazards

Endocrine disrupting properties	
Product	
Assessment	This substance/mixture does not contain any components considered to have endocrine-disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.
Further information	
Product:	
Remarks	No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:	
22 's website	www.topwosk.pl

Cedarwood & Vanilla		
Version 2.0	Updated: October 4, 2024	Printed on: October 24, 2024

benzyl benzoate	M factor (Acute toxicity to the aquatic environment): 1
alpha-hexylcinnamaldehyde	M factor (Acute toxicity to the aquatic environment) : 1
[3R-(3alpha,3abeta,7beta,8aalpha)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	M factor (Acute toxicity to the aquatic environment): 10 M factor (Chronic toxicity to the aquatic environment): 10
pin-2(10)-ene	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1

12.2 Persistence and degradability

no data available

12.3 Bioaccumulation potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 10/24/2024

12.6 Endocrine disrupting properties

Product	
Assessment	<p>This substance/mixture does not contain any ingredients considered to have endocrine disrupting properties endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.</p> <p>Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.</p>

12.7 Other adverse effects

Product:	
Additional ecological information	<p>Environmental hazards cannot be ruled out case of unprofessional use or disposal. It is very toxic to aquatic organisms, causing long-term effects.</p>

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product	<p>Transfer to an authorized waste disposal facility. Dispose of in accordance with local regulations.</p> <p>The product should not enter the water or sewage system sewage system or soil.</p> <p>Do not contaminate ponds, waterways, or canals with the product or used packaging.</p>
Contaminated packaging	<p>Do not expose containers to high temperatures, e.g. when working at high temperatures.</p> <p>Empty any remaining residue. Dispose of as unused product.</p> <p>Do not reuse empty containers.</p>
	<p>Dispose of in accordance with local regulations.</p>

SECTION 14: Transport information

14.1 UN number (UN number)

SAFETY DATA SHEET

in accordance with Regulation (EC) No.



Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 24.10.2024

RID: UN 3082

IMDG: UN 3082

IATA: UN 3082

14.2 Proper shipping name UN

ADR: ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.

ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S. (EXTRACTS, LIQUID)

RID: ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)

IATA: Environmentally hazardous substance, liquid, n.o.s. (Extracts, liquid)

14.3 Transport hazard class(es)

ADR: 9

RID: 9

IMDG: 9

IATA: 9

14.4 Packing group

ADR: III

RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR Environmentally hazardous: yes

RID Dangerous for the environment: yes

IMDG Substance that may cause marine pollution: yes

IATA (Passenger) Environmentally hazardous: yes

IATA (Cargo) Environmentally hazardous: yes

14.6 Special precautions for users

ADR Tunnel restriction code: (-)

IMDG

IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Legal regulations concerning safety, health, and environmental protection specific to the substance or mixture

REACH - Candidate List of Substances substances very high risk for Authorization (Article 59).	Not prohibited and/or restricted
Legislation on the prevention of major accidents	ENVIRONMENTAL RISKS E1 Quantity 1: 100 t Quantity 2: 200 t
Water pollution class (Germany)	WGK 3 severe water pollution Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H statements:

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	Ingestion and inhalation may be fatal. death.
H312	Harmful in contact with skin.
H315	Irritating to skin.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long-term effects.
H411	Toxic to aquatic life with long-lasting effects.
H412	Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230

	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
				Korea	+82 2 3479 8401
Middle East/Africa	All Middle East/Africa	+44 1235 239671	LATAM	Mexico	+52 55 5004 8763
	Bahrain and Middle East Africa	+44 1235 239671		Brazil	+55 11 3197 5891
	Africa/South Africa	+27213002732		Chile	+56 2 2582 9336
NOAM	USA and Canada	+1 866 928 0789		Colombia	+57 1 508 7337
	USA and Canada	+1 215 207 0061		Argentina	+54 11 5984 3690
	USA and Canada	+1 202 464 2554			
Global	Global	+44 1865 407333			

SAFETY DATA SHEET

in accordance with Regulation (EC) No.



Cedarwood & Vanilla

Version 2.0

Updated: October 4, 2024

Printed on: 24.10.2024