in accordance with Regulation (EC) No.



Freesia

Version 6.0 Updated: April 27, 2023 Printed on: April 27, 2023

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name Freesia
Product number 10000033

UFI A520-M016-F009-C9PV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use Fragrance composition

1.3 Details of the supplier of the safety data sheet

Company TOP WOSK PACIOREK I WĄŻ SPÓŁKA JAWNA Address Marszałkowska 58/15, 00-545 Warsaw

Phone +48 534 541 490 E-mail sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (ambulance)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 Eye Irrit. 2, H319 Skin sensitization, Category Skin Sens. 1, H317

1

Hazardous to the aquatic environment Category 3 Aquatic Chronic 3, H412

- Chronic hazard,

Category 3

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Phrases indicating the type of hazard H317 May cause an allergic skin reaction. H319

Causes serious eye irritation.

H412 Harmful to aquatic life with long-lasting

effects.

Precautionary statements

Prevention:

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray. P264 Wash

hands thoroughly after handling.

P272 Do not take contaminated protective clothing

outside the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing

protective clothing/eye protection/face

protection/hearing protection/...

Response:

P302+ P352 IF ON SKIN:

Wash with plenty of water.

P305 + P351 + P338 IF

EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P321 Apply specific treatment (see label for more

details).

P333 + P313 If skin irritation or rash occurs: Get

medical advice/attention.

P337+ P313 If eye irritation persists: Get

medical advice/attention.

P362+ P364 Take off and wash contaminated clothing

before reuse.

Disposal:

P501 Dispose of contents/container to collection points

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Hazardous ingredients must be listed on the label:

EC 203-375-0 DL-CITRONELLOL

EC 201-134-4 LINALOOL

EC 259-174-3 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-

TETRAMETHYL-2-NAPHTHALENYL)ETHANONE

EC 214-881-6 ALPHA-METHYL-1,3-BENZODIOXOLE-5-PROPIONALDEHYDE

EC 250-954-9 4-TERT-BUTYLCYCLOHEXYL ACETATE

EC 203-378-7 NEROL

EC 230-597-5 NEROLIDOL (ISOMER UNSPECIFIED)

EC 228-408-6 HEXYL SALICYLATE

EC 266-819-2 ALPHA,ALPHA-DIMETHYL-P-ETHYLPHENYLPROPANAL

EC 260-709-8 DELTA-1-(2,6,6-TRIMETHYL-3-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE

EC 203-909-2 METHYL 2-NONYNOATE

2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative bioaccumulative and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Environmental information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

Toxicological information: This substance/mixture does not contain any ingredients considered to have endocrine-disrupting properties according to Article

57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS	Classification	Concentrati
	No. EC	(REGULATION (EC)	on
	No.	No	[Percent
	Number		

in accordance with Regulation (EC) No.



Freesia

	Registration	1272/2008)	by weight]
DI-(2-ETHYLHEXYL) ADIPATE	103-23-1 203-090-1		50<= x% < 55
DIETHYL PHTHALATE	84-66-2		17<= x% <
	201-550-6 01- 2119486682- 27-0000		20
PHENETHYL ALCOHOL	60-12-8 200-456-2 01-	GHS07 Wng Acute Tox. 4, H302	2.5<= x% < 5
	2119963921- 31-0000	Eye Irrit. 2, H319	
DL-CITRONELLOL	106-22-9 203-375-0 01- 2119453995-	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317	2.5<= x% < 5
LINALOOL	23-0000 78-70-6	Eye Irrit. 2, H319 GHS07	2.5<= x% <
LINALOOL	201-134-4	Wng	5
	01- 2119474016- 42-0000	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
1-(1,2,3,4,5,6,7,8-OCTAHYDRO- 2,3,8,8-TETRAMETHYL-2-	54464-57-2 259-174-3	GHS07, GHS09 Wng	1<= x% < 2.5
NAPHTHALENYL)ETHANONE	01-		

in accordance with Regulation (EC) No.



Freesia

	2119489989- 04-0000	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	
BENZYL ACETATE	140-11-4 205-399-7 01- 2119638272- 42-0000	Wng Aquatic Chronic 3, H412	1,<= x% < 2.5
2-ISOBUTYL- 4-METHYLTETRAHYDROPYRAN-4-OL, MIXTURE OF CIS AND TRANS ISOMERS	603-101-00-3 405-040-6 01- 0000015458- 64-0000	GHS07 Wng Eye Irrit. 2, H319	1<= x% < 2.5
3-(2,2-DIMETHYL-3- HYDROXYPROPYL)TOLUENE	603-138-00-5 103694-68-4 403-140-4	Aquatic Chronic 3, H412	1,<= x% < 2.5
ALPHA-METHYL-1,3BENZODIOXOLE- 5-PROPIONALDEHYDE	1205-17-0 214-881-6	GHS07, GHS08, GHS09 Wng Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411	0<= x%< 1
BUTYLATED HYDROXYTOLUENE	128-37-0 204-881-4 01- 21198480433-	GHS09 Wng Aquatic Acute 1, H400	0<= x%< 1

in accordance with Regulation (EC) No.



	40-0000	M Acute= 1	
		Aquatic Chronic 1, H410	
		M Chronic= 1	
4-TERT-BUTYL CYCLOHEXYL ACETATE	32210-23-4	GHS07	0<= x%< 1
	250-954-9	Wng	
		Skin Sens. 1B, H317	
NEROL	106-25-2	GHS07	0<= x %< 1
	203-378-7	Wng	
	01-	Skin Irrit. 2, H315	
	2119983244- 33-0000	Skin Sens. 1B, H317	
		Eye Irrit. 2, H319	
NEROLIDOL (ISOMER UNSPECIFIED)	7212-44-4	GHS07, GHS09	0<= x%< 1
	230-597-5	Wng	
	01-	Skin Sens. 1B, H317	
	2119457636- 29-0000	Eye Irrit. 2, H319	
	25 0000	Aquatic Acute 1, H400	
		M Acute= 1	
		Aquatic Chronic 1, H410	
		M Chronic= e 1	
3-	3407-42-9	GHS09	0<= x%< 1
(5,5,6TRIMETHYLBICYCLO[2.2.1]HEPT- 2-YL)CYCLOHEXAN-1-OL	222-294-1	Wng	
·	01- 2119979583-	Aquatic Chronic 2,	

in accordance with Regulation (EC) No.



	21-0000	H411	
		Aquatic Acute 1, H400	
		M Acute= 1	
HEXYL SALICYLATE	6259-76-3	GHS07, GHS09	0<= x%< 1
	228-408-6	Wng	
		Skin Sens. 1B, H317	
		Aquatic Acute 1, H400	
		M Acute= e 1	
		Aquatic Chronic 1, H410	
		M Chronic= 1	
ALPHA,ALPHA-DIMETHYL-P-	67634-15-5	GHS07, GHS09	0<= x%< 1
ETHYLPHENYLPROPANAL	266-819-2	Wng	
		Skin Irrit. 2, H315	
		Skin Sens. 1B, H317	
		Aquatic Chronic 2, H411	
		Aquatic Acute 1, H400	
		M Acute= 1	
DELTA-1-(2,6,6-TRIMETHYL-3-	57378-68-4	GHS07, GHS09	0<= x %< 1
CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE	260-709-8	Wng	
		Acute Tox. 4, H302	
		Skin Irrit. 2, H315	
		Skin Sens. 1A, H317	

in accordance with Regulation (EC) No.



Version Updated: April 27, 2023 Printed on: April 27, 2023

	I		1
		Aquatic Acute 1,	
		H400	
		M Acute= 1	
		Acuatia Chanaia	
		Aquatic Chronic	
		1, H410	
		M Chronic 1	
		M Chronic= 1	
METHYL 2-NONYNOATE	111-80-8	GHS07, GHS09	0<= x %< 1
	111 00 0	01.507, 01.505	0 · // / 0 · 1
	203-909-2	Wng	
		Acute Tox. 4, H302	
		Skin Irrit. 2, H315	
		3KIII IIIII. 2, 11313	
		Skin Sens. 1A, H317	
		,	
		Aquatic Chronic	
		3, H412	
		Aquatic Acute 1,	
		H400	
		M Acute= e 1	

Relevant concentration limits:

Identification	CAS No. EC No. Registration number	Relevant concentration limits	ATE
PHENETHYL ALCOHOL	60-12-8 200-456-2 01-2119963921- 31-0000		Oral: ATE= 1610 mg/kg MC
DL-CITRONELLOL	106-22-9 203-375-0		skin: ATE= 2650 mg/kg MC

in accordance with Regulation (EC) No.



Freesia

	01-2119453995- 23-0000	Oral: ATE= 3450 mg/kg
LINALOOL	78-70-6 201-134-4 01-2119474016- 42-0000	oral: ATE= 2790 mg/kg MC
BENZYL ACETATE	140-11-4 205-399-7 01-2119638272- 42-0000	Oral: ATE= 2490 mg/kg MC
ALPHA-METHYL-1,3- BENZODIOXOLE-5-PR OPIONALDEHYDE	1205-17-0 214-881-6	oral: ATE= 3562 mg/kg MC
4-TERT- BUTYLCYCLOHEXYL ACETATE	32210-23-4 250-954-9	Oral: ATE= e 3370 mg/kg MC
NEROL	106-25-2 203-378-7 01-2119983244- 33-0000	oral: ATE= 4500 mg/kg MC
DELTA-1-(2,6,6- TRIMETHYL-3- CYCLOHEXENE-1-YL)-2-	57378-68-4 260-709-8	oral: ATE= 1400 mg/kg MC

in accordance with Regulation (EC) No.

Version



Freesia			
	Updated: April 27, 2023	Printed on: April 27, 2023	

BUTENE-1-ONE		
METHYL 2-NONYNOATE	111-80-8 203-909-2	dermal: ATE= 4500 mg/kg MC
		oral: ATE= 1600 mg/kg MC

The full text of the H statements cited in this section can be found in section 16

SECTION 4: First aid measures

In general, if in doubt or if symptoms persist, always call a doctor. NEVER induce vomiting in an unconscious person.

4.1 Description of first aid measures

In case of eye contamination Hold the eyelids open and rinse thoroughly with soft, clean

water for 15 minutes.

If redness, pain, or vision problems occur,

consult an ophthalmologist.

In case of skin contamination Remove contaminated clothing and wash the skin thoroughly

with soap and water or a recognized cleaning agent.

Be aware that the product may remain between the skin and

clothing, watches, shoes, etc.

If symptoms of an allergic reaction occur, seek

a doctor's advice.

If the contaminated area is extensive and/or

skin damage, consult a doctor or transport

the affected person to a hospital.

If swallowed Do not give the victim anything by mouth.

If swallowed, if the amount is small (no more than one sip),

rinse mouth with water and consult a doctor.
Ensure rest. Do not induce vomiting. Call a doctor

immediately and show them the label. In case of accidental ingestion, contact

a doctor to assess the need for monitoring and further

symptomatic treatment in

hospital conditions. Show the label.

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: 04/27/2023

4.2 Most important acute and delayed symptoms and effects of exposure

No data available.

4.3 Indications for any immediate medical attention and special treatment of the victim

No data available.

SECTION 5: Firefighting measures

The product is not flammable.

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

water spray or water mist

water jet

5.2 Special hazards arising from the substance or mixture

Fire often produces dense, black smoke. Exposure to decomposition products may be hazardous to health.

Do not inhale smoke.

The following combustion products may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.2 Information for firefighters

No data available.

SECTION 6: Accidental release measures

6.1 Individual precautions, protective equipment, and emergency procedures

Refer to the safety measures listed in sections 7 and 8.

For persons other than first responders

Avoid contamination of skin and eyes.

For first responders

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Those carrying out the intervention should be equipped with appropriate personal protective equipment (see section 8).

6.2 Environmental precautions

Contain and collect spilled or leaked material using non-flammable absorbent material such as sand, earth, vermiculite, diatomaceous earth

diatomaceous earth, in barrels for disposal.

Prevent material from entering sewage systems or waterways.

6.3 Methods and materials for preventing the spread of contamination and for removing contamination

Cleaning with detergents is recommended; do not use solvents.

6.4 References to other sections

No data available.

SECTION 7: Handling and storage

Recommendations for storage rooms also apply to workshops where the mixture is used.

People who have ever experienced skin allergies should not come into contact with this mixture.

7.1 Precautions for safe handling

Precautions Wash hands after each use.

Remove contaminated clothing and wash it before reuse. Ensure adequate ventilation, especially in enclosed spaces.

rooms.

Fire prevention Use in well-ventilated areas.

Keep away from unauthorized personnel.

Recommended equipment and Personal protective equipment - see section 8.

procedures Follow the precautions on the label and industrial safety

regulations.

Avoid contact of the mixture with skin and eyes. Open

containers should be closed carefully and

store in an upright position.

Prohibited equipment and procedures Do not smoke, eat, or drink in areas where the mixture is

used.

smoking, eating, or drinking.

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

7.2 Conditions for safe storage, including any incompatibilities

No data available.

Storage Keep container tightly closed in a dry,

well-ventilated place.

The floor must be impermeable and form a collection basin so that in the event of accidental spillage, the liquid

be able to

escape beyond this area.

Packaging Always store in packaging made of the same

the same material as the original.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA	STEL	Ceiling	Definition	Criteria
84-66-2	5 mg/m3			A4	
140-11-4	10 ppm			A4	
128-37-0	2 (IFV) mg/m3			A4	

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME:	VME:	Exceeded	Comments
128-37-0		10 E mg/m3		4 (II)

- France (INRS - Tools 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

in accordance with Regulation (EC) No.



	Freesia	
Version	Updated: April 27, 2023	Printed on: 04/27/2023

CAS	VME-ppm :	VME-	VLE-ppm	VLE-	VLE-	No.
		mg/m3		mg/m3	mg/m3	according to
						the French
						Table of
						Diseases
						professional
84-66-2	-	5	-	-	-	-
128-37-0	-	10	-	-	-	-

- Poland (Journal of Laws of 2018, items 917, 1000, and 1076):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
103-23-1	400 mg/m3				
84-66-2	3 mg/m3				

8.2 Exposure control

Pictogram(s) indicating the obligation to use personal protective equipment (PPE):





Personal protective equipment should be clean and maintained in good condition. Store

personal protective equipment in a clean place, away from the work area.

Do not eat, drink, or smoke when using. Remove contaminated clothing and wash it before reuse. Ensure adequate ventilation, especially in confined spaces.

8.2.1 Personal protective equipment

Avoid contamination of the eyes. Eye/face protection

> Use eye protection designed to protect against liquid splashes.

Before each use, wear safety glasses with side shields in

accordance with PN-EN 166.

In case of increased risk, use a face shield

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Prescription glasses do not provide protection.

Contact lens wearers are advised to wear corrective lenses when performing work where they may be exposed to

irritating

effects of vapors.

Rooms where the product is used continuously should be

equipped with eye wash stations.

Use suitable chemical-resistant gloves in accordance with

EN ISO 374-1.

The choice of gloves depends on the application and the length of

time they are used at the workstation.

Protective gloves should be selected according to the workstation, taking into account: other chemicals that may be

used,

necessary protection against physical hazards (cuts, punctures,

thermal protection), required ease of handling.

Recommended glove type:

- PVA (polyvinyl alcohol)

- Butyl rubber (isobutylene/isoprene copolymer)

Body protection.

- Hand protection

Avoid skin contamination.

Wear appropriate protective clothing.

Type of suitable protective clothing:

In case of heavy splashes, use clothing that protects against

liquid chemicals, with

liquid-tight connections in

liquid form (type 3), in accordance with EN14605/A1, to avoid

any contact with the skin.

In case of splash hazard, use clothing that provides limited

protection against liquid chemicals (type 6),

compliant with EN13034/A1, to avoid any contact with the

skin.

Personnel should wear work clothes that are washed regularly.

After contact with the product, wash all contaminated parts

of the body.

SECTION G: Physical and chemical properties

G.1 Information on basic physical and chemical properties

Physical state non-sticky

liquid

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Form non-sticky liquid Color Undefined

Taste

No data available.

No data available.

Odor threshold

Flash point

Lower explosion limit

Upper explosion limit

Flammability

Not specified

not specified

Not specified

not specified

Flammability not specified
Particle size Not specified
Oxidizing properties Not applicable.
Auto-ignition temperature Not applicable.
Decomposition temperature Not applicable.
PH Not applicable.
Not specified.

Density <1

Not specified. **Bulk density** Solubility in water insoluble. Solubility/solidification Not specified. Partition coefficient: n-octanol/water Not determined. Kinematic viscosity v< 7 mm2/s (40°C) Not determined. Relative vapor density No data available **Evaporation rate** No data available **Explosive properties**

G.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

This mixture is stable under the storage and handling conditions recommended in Section 7.

10.3 Possibility of hazardous reactions

When exposed to high temperatures, the mixture may release hazardous decomposition products such as carbon monoxide and carbon dioxide, fumes, nitrogen oxide.

10.4 Conditions to avoid

No data available.

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

The following products may be released/formed as a result of thermal decomposition:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: Toxicological information

Exposure to solvent vapors contained in the mixture above the indicated exposure limits may cause adverse health effects such as irritation of the mucous membranes and respiratory system, damage to the kidneys, liver, and central nervous system.

Symptoms include headache, numbness, dizziness, fatigue, and in extreme cases, loss of consciousness.

Prolonged or repeated contact with the mixture may cause removal of the natural lipid layer of the skin and cause non-allergic contact dermatitis and absorption through the epidermis.

It may cause reversible eye damage, i.e., eye irritation that is completely reversible within a 21-day observation period. Splashes in the eyes may cause irritation and reversible damage.

May cause an allergic reaction following skin contact.

11.1 Information on hazard classes defined in Regulation (EC) No 1272/2008

Acute toxicity

METHYL 2-NONYNOATE (CAS: 111-80-8) Oral route: LD50= 1600 mg/kg body weight/day

Skin contact: LD50= 4500 mg/kg body weight/day Oral route: LD50= 1400 mg/kg body weight/day

DELTA-1-(2,6,6-TRIMETHYL-3- Oral route: LD50= 1400 mg/kg body weight/day CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE

(CAS: 57378-68-4)

NEROL (CAS: 106-25-2) Oral route: LD50= 4500 mg/kg body weight/day

4-TERT-BUTYLCYCLOHEXYL ACETATE Oral route: LD50= 3370 mg/kg body weight/day

(CAS: 32210-23-4)
ALPHA-METHYL-1,3-BENZODIOXOLE-5- Oral route: LD50= 3562 mg/kg body weight/da

ALPHA-METHYL-1,3-BENZODIOXOLE-5- Oral route: LD50= 3562 mg/kg body weight/day PROPIONALDEHYDE (CAS: 1205-17-0)

BENZYL ACETATE (CAS: 140-11-4) Oral route: LD50= e 2490 mg/kg body weight/day

17 24

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

LINALOOL (CAS: 78-70-6)

DL-CITRONELLOL (CAS: 106-22-9)

Oral route: LD50= 3450 mg/kg body weight/day Skin contact: LD50= 2650 mg/kg body weight/day

PHENETHYL ALCOHOL (CAS: 60-12-8)

Oral route: LD50= 1610 mg/kg body weight/day

Oral route: LD50= ,2790 mg/kg body weight/day

11.2 Information on other hazards

Carcinogenicity:

CIRC (International Agency for Research on Cancer) monograph(s):

CAS 123-35-3: IARC Group 2B: Possibly carcinogenic to humans.

CAS 5989-27-5: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

CAS 128-37-0: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

CAS 140-11-4: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

CAS 103-23-1: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

SECTION 12: Ecological information

Harmful to aquatic organisms, causing long-term adverse effects. Do not allow product to enter sewage systems or waterways.

12.1 Toxicity

No information on toxicity to the aquatic environment is available for this mixture.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

12.7 Other harmful effects

No data available.

SECTION 13: Waste treatment

Proper waste management of the mixture and/or container should be determined in accordance with the provisions of Directive 2008/98/EC.

13.1 Waste disposal methods

Do not discharge into drains or waterways.

Product Empty the container completely. Keep the label(s) on

container.

Transfer to a licensed waste processing company

waste processing.

Contaminated packaging Waste management should be carried out without posing a

threat to human health or the environment, particularly to water, air, soil, fauna, and flora.

Recycle or dispose of in accordance with

applicable regulations by a licensed waste treatment

company waste.

Do not contaminate soil or water with waste, do not dispose

of it in the environment.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

Exempt from transport classification and labeling.

14.1 UN number

14.2 Proper shipping name UN

-

14.3 Transport hazard class(es)

_

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: 27.04.2023

14.4 Packaging group

_

14.5 Environmental hazards

-

14.6 Special precautions for users

-

14.7 Transport by sea in bulk in accordance with IMO instruments

_

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the substance or mixture

- Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of December 18, 2006 on the Registration, Evaluation, Authorization

and restrictions (REACH) and establishing a European Chemicals Agency, amending

Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as

Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended.

- Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labeling, and

packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No

1907/2006, as amended

- Directive 2008/98/EC of the European Parliament and of the Council of November 19, 2008 on waste and repealing certain

directives.

- Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2011 No. 63 item 322, as amended)

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

- Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21, as amended)
- Act of June 13, 2013 on packaging and packaging waste management (Journal of Laws of 2013, item 888, as amended).
- Regulation of the Minister of the Environment of December 9, 2014 on the waste catalog (Journal of Laws of 2014, item 1923)
- Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of

the workplace (Journal of Laws of 2005, No. 11, item 86, as amended)

- Regulation of the Minister of Economy of December 21, 2005 on the essential requirements for personal protective equipment

(Journal of Laws of 2005, No. 259, item 2173)

- Regulation of the Minister of Labor and Social Policy of September 26, 1997, on general provisions for occupational health and safety

(Journal of Laws of 1997, No. 129, item 844, as amended)

- Act of August 19, 2011, on the transport of dangerous goods (Journal of Laws of 2011, No. 227 item 1367, as amended)
- Regulation of the Minister of Labor and Social Policy of June 6, 2014 on the maximum permissible concentrations and intensities

of factors harmful to health in the work environment (Journal of Laws of 2014, item 817, as amended) Information on classification and labeling contained in section 2:

The following regulations have been taken into account:

- Regulation (EC) No. 1272/2008 amended by Regulation (EC) No. 2022/692 (ATP 18) Information on packaging:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 REACH:

The mixture does not contain any substances subject to restrictions in accordance with Annex XVII to Regulation (EC) No. 1907/2006

(REACH): https://echa.europa.eu/substances-restricted-under-reach.

in accordance with Regulation (EC) No.



Freesia

Version Updated: April 27, 2023 Printed on: April 27, 2023

Explosive precursors:

The mixture does not contain any substances subject to Regulation (EU) 2019/1148 on on the marketing and use of

of explosives precursors.

Special provisions:

No data available.

15.2 Chemical safety assessment

No data available.

H302

SECTION 16: Other information

Full text of H statements:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.

H361 Suspected of damaging fertility or the unborn child.

unborn child.

H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with

long-term effects.

Harmful if swallowed.

H411 Toxic to aquatic life with long-lasting effects.

H412 Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670		New Zealand	+6499291483
	France	+33 172 11 00 03	_	Australia	+64 9 929 1483
	Germany	+49 89 220 6112	APAC	South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074

in accordance with Regulation (EC) No.



Freesia

	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech	+420 228 882 830		Philippines	+63 2 8231 2149
	Republic				
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
	All Middle	+44 1235 239671		Korea	+82 2 3479 8401
	East/Africa				
N 4: al al la	Bahrain and	+44 1235 239671		Mexico	+52 55 5004 8763
Middle	Middle East				
East/Africa	Africa				
	Africa/South	+27213002732		Brazil	+55 11 3197 5891
	Africa				
	USA and	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	Canada				
NO A N 4	USA and	+1 215 207 0061		Colombia	+57 1 508 7337
NOAM	Canada				
	USA and	+1 202 464 2554		Argentina	+54 11 5984 3690
	Canada				

in accordance with Regulation (EC) No.



	Freesia							
Version Updated: April 27, 2023 Printed on: April 27,				ril 27, 2023				
	Global	Global	+44 1865 407333					