

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name	Gentle Masculine
Product number	10000070
UFI	MT60-X09N-0000-2R5C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Skin irritant, Category 2	H315: Causes skin irritation.
Irritating to eyes, Category 2	H319: Causes serious eye irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) hazard to aquatic life, Category 1	H400: Very toxic to aquatic life organisms.
Long-term (chronic) hazard to the aquatic environment, Category 1	H410: Very toxic to aquatic life with long-lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Pictograms indicating the type of hazard



Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long-lasting effects.

Precautionary statements

Prevention:

P261 Avoid breathing mist or vapor.

P264 Wash body thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/seek medical attention.

P391 Collect spillage.

Hazardous ingredients must be listed on the label:

- 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphthalene (main isomer) 54464-57-2
- 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) 115-95-7
- Linalool 78-70-6

- 2,6,6,8-tetramethyl-9-acetyl- tricyclo{5.3.1.0(1,5)}undec-8-ene 32388-55-9
- Bergamot, extract 8007-75-8
- 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one 127-51-5
- 2H-1-benzopyran-2-one (=coumarin) 91-64-5
- Oils, Lavandin 93455-96-0
- Pelargonium graveolens, extract 8000-46-2
- Cardamom seed oil 8000-66-6
- Hexyl 2-hydroxybenzoate 6259-76-3
- 2,6,6,8-Tetramethyl tricyclo(5.3.1.0(1.5))undecan-8-yl acetate 77-54-3
- 4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene) 87-44-5
- 2,6,6-trimethyl-Bicyclo[3.1.1]hept-2-ene (= alpha-pinene) 80-56-8

2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Number	Classification (REGULATION (EC) No	Concentration [Percent

		<div>M factor (Chronic toxicity to the aquatic environment): 1</div> <div>Estimated acute toxicity</div> <div>Acute toxicity - oral route:</div> <div>> 5,000.00 mg/kg</div> <div>Acute toxicity - dermal: > 5,000.00 mg/kg</div>	
<div>3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)</div>	<div>115-95-7</div> <div>204-116-4</div> <div>01-2119454789-19</div>	<div>Skin Irrit. 2; H315</div> <div>Eye Irrit. 2; H319</div> <div>Skin Sens. 1B; H317</div> <div>Estimated acute toxicity</div> <div>Acute toxicity - oral route:</div> <div>13,934.00 mg/kg</div> <div>Acute toxicity - after application to</div>	<div>>= 10-< 20</div>

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		skin:> 5,000.00 mg/kg	
linalool	78-70-6 201-134-4 01-2119474016 42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 2,790.00 mg/kg	>= 10 -< 20
1,3,4,6,7,8-heksahydro- 4,6,6,7,8,8 heksametyloindeno[5,6- c]piran	1222-05-5 214-946-9 01-2119488227- 29	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity for the aquatic environment): 1 M factor (Chronic toxicity to the aquatic): 1	>= 10-< 20
2,6,6,8-tetramethyl-9-acetyl- tricyclo{5.3.1.0(1,5)}undec-8-ene	32388-55-9 251-020-3	Skin Sens. 1B; H317	>= 2.5-< e 5

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

	01-2119969651-28	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity for the aquatic environment): 1 M factor (Chronic toxicity to the aquatic): 1 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg	
2-isobutyl-4-Methyltetrahydropyran-4-ol, mixture of cis and trans isomers	63500-71-0 405-040-6 01-0000015458-64	Eye Irrit. 2; H319 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg	>= 1-< 5
Bergamot, extract	8007-75-8	Flam. Liq. 3; H226	>= 2.5-< 5

Gentle Masculine

Version 1.0 Updated: March 24, 2025 Printed on: March 24, 2025

	89957-91-5 289-612-9 01-2120117613-65	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral route: > 5,000 mg/kg Acute toxicity - after application to the skin:> 20,000 mg/kg	
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 695-097-5 01-2120745133-63	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity -	>= 2,5-< 5

		after application to the skin:> 5,000.00 mg/kg	
2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7 01-2119949300-45	Acute Tox. 4; H302 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 500 mg/kg	>= 1-< 5
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (= ionone beta)	14901-07-6 79-77-6 8013-90-9 201-224-3 201-224-3 232-396-8 01-2119449921-34	Aquatic Chronic 2; H411 Estimated Acute toxicity Acute toxicity - oral route: 3,940 mg/kg	>= 1-< 2,5
Oils, Lavandin	93455-96-0 8022-15-9 297-384-7 01-2120736147-55	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated	>= 0.25—< 1

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		Acute toxicity Acute toxicity - oral: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	
Cardamom seed oil	8000-66-6 85940-32-5 288-922-1 01-2120080371-63	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 0.25-< 1
Pelargonium graveolens, extract	8000-46-2 90082-51-2 290-140-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated	>= 0.1-< 1

10 31

www.topwosk.pl

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		Acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to > 5,000.00 mg/kg > 5,000.00 mg/kg	
hexyl 2-hydroxybenzoate	6259-76-3 228-408-6 01-2119638275-36	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Coefficient M (Acute toxicity for the aquatic environment): 1 M factor (Chronic toxicity to the aquatic): 1 Estimated acute toxicity	>= 0.25—< 1

Gentle Masculine

Version 1.0 Updated: March 24, 2025 Printed on: March 24, 2025

		Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - dermal:> 5,000.00 mg/kg	
2,6,6,8-Tetramethyl tricyclo(5.3.1.0(1.5))undecan- 8-yl acetate	77-54-3 201-036-1 01-2120739845- 42	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Coefficient M (Acute toxicity for the aquatic environment): 1 M factor (Chronic toxicity to the aquatic): 1 Estimated acute toxicity Acute toxicity - oral route:	>= 0.25< 1

Gentle Masculine

Version 1.0 Updated: March 24, 2025 Printed on: March 24, 2025

		> 5,000.00 mg/kg Acute toxicity - after application to the skin: > 5,000.00 mg/kg	
4,11,11-trimethyl-8- methylenebicyclo[7.2.0]undec- 4-ene (= Caryophyllene)	87-44-5 201-746-1 01-2120745237- 53	Skin Sens. 1B; H317 Asp. Tox. 1; H304 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 0.1-< 1
2,6,6-trimethyl- Bicyclo[3.1.1]hept-2- ene (= alpha-pinene)	80-56-8 7785-70-8 201-291-9 232-087-8 01-2119519223- 49	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Toxicity Class 1; H304 Aquatic Acute 1; H400 Coefficient	>= 0.1 -< 0.25

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		<div>M</div> <div>(Acute toxicity to the aquatic environment): 1</div> <div>M factor (Chronic toxicity to the aquatic environment): 1</div> <div>Aquatic Chronic 1;</div> <div>H410</div> <div>Estimated acute toxicity</div> <div>Acute toxicity - oral route:</div> <div>> 500 - 2,000 mg/kg</div>	
--	--	---	--

The full text of the H statements mentioned in this section can be found in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

In case of inhalation

In case of skin contact skin

Do not leave the injured person unattended. Remove from the danger zone.

Show the attached Safety Data Sheet to the doctor.

Hazardous Substance.

Place unconscious person in a comfortable position and seek medical advice.

If symptoms persist, call a doctor.

In case of skin contamination, rinse thoroughly with water.

If clothing is contaminated, remove clothing.

If the chemical enters the ear canal, seek medical advice immediately.

14 31

www.topwosk.pl

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

In case of contact with eyes	If skin irritation persists, consult a doctor. Protect the undamaged eye. Remove contact lenses. Immediately rinse eyes with plenty of water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Immediately consult a Poison Control Center or doctor. Keep the airway clear. DO NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms	No data available
Hazards	Irritating to skin. May cause an allergic skin reaction. Irritating to eyes.

4.3 Indications for any immediate medical attention and special treatment of the victim

Treatment	Symptomatic treatment.
-----------	------------------------

SECTION 5: Firefighting measures

5.1 Fire extinguishing media

Suitable extinguishing media	Use water spray, alcohol-resistant foams, dry chemicals, or carbon dioxide.
Unsuitable extinguishing media	chemicals, or carbon dioxide. High-volume water stream

5.2 Special hazards arising from the substance or mixture

Special hazards during firefighting	Do not allow water used to extinguish the fire to enter the water supply or sewage system.
-------------------------------------	--

5.3 Information for the fire department

Special protective equipment for firefighters	If necessary during firefighting operations, wear a closed-circuit breathing apparatus.
Further information	Collect contaminated firefighting water separately. Do not

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: 03/24/2025

It can be disposed of in the sewer system.
Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions.

Keep people away from the spill/spillage on the the windward side.
In emergency situations, use approved self-contained breathing apparatus. The material may cause surfaces to become slippery. Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions
environmental protection

Do not allow the product to enter the sewage system.
If the product enters rivers, lakes, or the sewer system, notify the relevant authorities.

6.3 Methods and materials for preventing the spread of contamination and for removing contamination

Cleaning methods

Clean contaminated floors and objects thoroughly in accordance with environmental regulations.
Absorb with inert absorbent material (e.g., sand, silica gel, acid absorbent, universal absorbent, sawdust).
Store in suitable, closed containers until until disposal.

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage of substances and mixtures

7.1 Precautions for safe handling

Methods for safe handling

Persons susceptible to skin sensitization or asthma, allergies, chronic or recurrent respiratory diseases should not be employed

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

	<p>when performing any operations involving this mixture. Do not inhale vapors/dust.</p> <p>Avoid exposure - read the instructions before use. Avoid skin and eye contact.</p> <p>Personal protective equipment: see section 8.</p> <p>Do not eat, drink, or smoke in the area of application. Dispose of rinse water in accordance with local and national regulations.</p>
Fire protection guidelines	Normal fire protection measures.
Fire protection	
Temperature class	No data available
Firefighting class	No data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers	<p>Keep container tightly closed in a dry and well-ventilated place.</p> <p>Open containers must be resealed and stored upright to prevent leakage.</p> <p>Electrical installations/equipment must comply with technical safety standards.</p>
Other information about storage conditions	<p>Room temperature / 10-30°C (50-85°F)</p> <p>Dry, well-ventilated, preferably full, hermetically sealed sealed</p>
Storage guidelines	Protect from light.
German storage class (TRGS 510)	10 Flammable liquids
Other information	No decomposition if stored and used as recommended.

7.3 Specific end use(s)

Specific uses	No data available
---------------	-------------------

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Does not contain substances with occupational exposure limits.

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

8.2 Exposure control

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin. Since product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that a potential exposure assessment be performed

exposure assessment before using or introducing the product. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOI indicated below are recommended for the worst-case hazard scenario.

A hazard assessment will identify the more appropriate measures that should be taken. EN and ANSI standards are included in

the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last method of avoiding exposure. In each case, appropriate technical and organizational measures should be considered and implemented before selecting personal protective equipment. The selection of PPE is made by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

8.2.1 Technical measures

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no relevant exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection

Use safety glasses - goggles and face shields in accordance with EN 166 / ANSI Z87.1 standard or equivalent local standards

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Hand protection

Protective gloves must be worn when handling substances in open systems. Check gloves before use. Train operators in their correct use. If only accidental exposure is expected) : work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in section 3 of this safety data sheet. Replace gloves frequently.

If direct skin contact is expected: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must exceed the contact time.

Other skin protection

Wear protective clothing covering hands and legs. The choice of protective equipment should be made depending on the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected.

Respiratory protection

Respiratory protection should be used if exposure in the workplace exceeds the required limits. exposure limits or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including, but not limited to, irritation of the respiratory tract. effects, including but not limited to respiratory or olfactory irritation or smell, or where indicated by exposure assessment. The choice of air purifiers or the degree of of positive air pressure will depend on the results of the exposure assessment, including an assessment of specific activities and potential airborne concentrations. In exceptional cases, use a certified positive pressure self-contained breathing apparatus.

If the risk analysis indicates that a filter mask/half mask can be used, use type:

ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as a backup to engineering controls. In the absence of engineering controls, use

a self-contained breathing apparatus or a full-face mask with air supply.

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Thermal hazards	Use filters and components that have been tested and comply with the relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US). If necessary, wear appropriate thermal protective clothing
Hygiene measures	protective clothing. Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink, or smoke while working. Wash hands after each handling of the product.

8.2.3 Environmental exposure controls

General recommendations	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewage system, notify the relevant authorities.
-------------------------	--

SECTION G: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of matter	liquid
Form	liquid
Color	colorless to pale yellow
Taste	Not specified
Smell	Fern-like, woody, aromatic
Odor threshold	Not applicable
Flash point	89 °C Method: Mini-flash closed cup grabner
Lower explosion limit	Not specified
Upper explosion limit	Not specified
Flammability	Not applicable
Particle size	No data available
Oxidizing properties	No data available
Auto-ignition temperature	not specified
Decomposition temperature	No data available
pH	not specified
Vapor pressure	0.062 hPa at 20 °C Calculated (100.0 %)
Density	978.23 kg/m³ at 20 °C
Bulk density	Not applicable
Solubility in water	Not specified
Solubility/solidification	Practically insoluble
Partition coefficient: n-octanol/water	Not applicable
Kinematic viscosity	No data available

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Relative density of vapors	No data available
Evaporation rate	no data available
Explosive properties	no data available

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions	No decomposition if stored and used as recommended.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid avoid	no data available
------------------------------	-------------------

10.5 Incompatible materials

Factors to avoid	Not applicable
---------------------	-------------------

10.6 Hazardous decomposition products

Hazardous decomposition products	No data available
Decomposition	
Thermal decomposition	No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity

Acute toxicity - oral route	Estimated acute toxicity
-----------------------------	--------------------------

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Dose: > 2,000 mg/kg Method:
Calculation method

Acute toxicity – oral route

Benzyl benzoate	LD50: 2,000 mg/kg Species: Rat
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphtalene (main isomer)	LD50:> 5,000 mg/kg Species: Rat
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	LD50: 13,934 mg/kg Species: Rat
linalool	LD50: 2,790 mg/kg Species: Rat
2,6,6,8-tetramethyl-9-acetyl-tricyclo{5.3.1.0(1,5)}undec-8- ene	LD50:> 5,000 mg/kg Species: Rat
2-isobutyl-4-methyltetrahydropyran-4-ol, mixture of cis and trans isomers	LD50:> 5,000 mg/kg Species: Rat
trans Bergamot, extract	LD50:> 5,000 mg/kg Species: Rat
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	LD50:> 5,000 mg/kg Species: Rat
2H-1-benzopyran-2-one (=coumarin)	Estimated acute toxicity: 500 mg/kg Species: Rat
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (= ionone beta)	LD50: 3,940 mg/kg Species: Rat
Oils, Lavandin	LD50:> 5,000 mg/kg Species: Rat
Pelargonium graveolens, extract	LD50:> 5,000 mg/kg Species: Rat
hexyl 2-hydroxybenzoate	LD50:> 5,000 mg/kg Species: Rat
2,6,6,8-Tetramethyl tricyclo(5.3.1.0(1.5))undecan-8-yl acetate	LD50:> 5,000 mg/kg Species: Rat
4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene)	LD50:> 5,000 mg/kg Species: Rat
2,6,6-trimethyl-Bicyclo[3.1.1]hept-2-ene (= alpha-pinene)	LD50:> 500 - 2,000 mg/kg Species: Rat

Acute toxicity – via	No product data available.
----------------------	----------------------------

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025.

Respiratory

Acute toxicity – after application to the skin

No product data available.

Acute toxicity – after application to the skin

benzyl benzoate	LD50: 4,000 mg/kg Species: Rabbit
2-acetyl-1,2,3,4,5,6,7,8-	LD50:> 5,000 mg/kg Species: Rabbit
octahydro-2,3,8,8-tetra-	
methylnaphtalene (main isomer)	
3,7-dimethyl-1,6-octadien-3-	LD50:> 5,000 mg/kg Species: Rabbit
yl acetate (= linalyl acetate)	
Bergamot, extract	LD50:> 20,000 mg/kg Species: Rabbit
3-methyl-4-(2,6,6-trimethyl-2-	LD50:> 5,000 mg/kg Species: Rabbit
cyclohexen-1-yl)-3-buten-2-	
one	
Oils, Lavandin	LD50:> 5,000 mg/kg Species: Rabbit
Cardamom seed oil	LD50:> 5,000 mg/kg Species: Rabbit
Pelargonium graveolens, extract	LD50:> 5,000 mg/kg Species: Rabbit
	LD50:> 5,000 mg/kg Species: Guinea pig
hexyl 2-hydroxybenzoate	LD50:> 5,000 mg/kg Species: Rabbit
2,6,6,8-Tetramethyl	LD50:> 5,000 mg/kg Species: Rabbit
tricyclo(5.3.1.0(1.5))undecan-	
8-yl acetate	
4,11,11-trimethyl-8-	LD50:> 5,000 mg/kg Species: Rabbit
methylenebicyclo[7.2.0]unde	
c-4-ene (= Caryophyllene)	

Acute toxicity (other routes of administration)

No product data available.

Skin irritation

May cause skin irritation and inflammation.

Eye irritation

Vapors may cause irritation to the eyes, respiratory system, and skin.

and skin.

Sensitizing effect

No product data available.

Gentle Masculine		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025.

Mutagenic effect on reproductive cells reproductive cells	No data available on the product.
Carcinogenicity	No data available for this product.
Reproductive toxicity	
Not classified due to lack of data.	
Toxic to organs or systems - Single exposure	
Toxic to organs or systems - Single exposure	No product data available.
Toxic to organs or systems - Repeated exposure	
Substance toxic to organs or systems - Repeated exposure	No product data available.
Aspiration hazard	No product data available.
Phototoxicity	No product data available.
Further information	No product data available.
11.2 Information on other hazards	
Endocrine disrupting properties	
Product	
Assessment	This substance/mixture does not contain any components considered to have endocrine-disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.
Further information	

Product:	
Comments	No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:	
benzyl benzoate	M factor (Acute toxicity to the aquatic environment): 1
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	M factor (Acute toxicity to the aquatic environment) : 1 M factor (Chronic aquatic toxicity): 1
[3R-(3.alpha.,3a,7,8a.alpha.)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1
hexyl salicylate:	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1
[3R-(3alpha,3beta,6alpha,7beta,8alpha)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1
pin-2(3)-ene	M factor (Acute toxicity to the aquatic environment): 1 M factor (Chronic toxicity to the aquatic environment): 1

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

12.2 Durability and degradability

No data available

12.3 Bioaccumulation potential

no data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment

This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

12.6 Endocrine disrupting properties**Product:**

Assessment

This substance/mixture does not contain any components considered to have endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

12.7 Other adverse effects**Product:**

Additional ecological information

Environmental hazards cannot be ruled out case of unprofessional use or disposal. It is very toxic to aquatic organisms, causing long-term effects.

SECTION 13: Waste treatment**13.1 Waste disposal methods**

Product

Dispose of at a licensed waste disposal facility.
Dispose of in accordance with local regulations.

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Contaminated packaging

The product should not enter the water supply or sewage system or soil.

Do not contaminate ponds, waterways, or canals with the product or used packaging.

Do not expose containers to high temperatures, e.g. when working at high temperatures.

Empty any remaining residue. Dispose of as unused product.

Do not reuse empty containers.

Dispose of in accordance with local regulations.

SECTION 14: Transport information**14.1 UN number (UN number)**

ADR: UN 3082

RID: UN 3082

IMDG: UN 3082

IATA: UN 3082

14.2 Proper shipping name UN

ADR: ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.

ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S. (EXTRACTS, LIQUID)

RID: ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)

IATA: Environmentally hazardous substance, liquid, n.o.s. (Extracts, liquid)

14.3 Transport hazard class(es)

ADR: 9

RID: 9

IMDG: 9

IATA: 9

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

14.4 Packing group

ADR: III

RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR Environmentally hazardous: yes

RID Environmentally hazardous: yes

IMDG Substance which may cause marine pollution: yes

IATA (Passenger) Environmentally hazardous: yes

IATA (Cargo) Dangerous for the environment: yes

14.6 Special precautions for users

ADR

Tunnel restriction code: (-)

IMDG

IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Does not apply to the product in the condition in which it was delivered.

SECTION 15: Regulatory information

15.1 Regulations specific to the substance or mixture concerning safety, health, and environmental protection mixture

REACH - Candidate List of Substances substances very high risk for Authorization (Article 59).

Not prohibited and/or restricted

Legal acts in the field of prevention serious accidents

ENVIRONMENTAL RISKS E1 Quantity 1: 100 t Quantity 2: 200 t

28 31

www.topwosk.pl

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Pollution class
of water (Germany)

WGK 3 Heavy water pollution
Classification according to AwSV, Annex 1
(5.2)

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H-statements:	
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	Ingestion and inhalation may be fatal. death.
H315	Irritating to skin.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long-term effects.
H411	Toxic to aquatic life with long-lasting effects.
H412	Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230

Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671		Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			

SAFETY DATA SHEET

in accordance with Regulation (EC) No.



Gentle Masculine

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025