

Gin&Tonic

Version 1.0

Updated: February 21, 2025

Printed on: February 21, 2025

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name	GinCTonic
Product number	10000067
UFI	U660-D0FU-U00J-FC2W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (ambulance)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No 1272/2008)

Skin irritant, Category 2	H315: Causes skin irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) hazard to aquatic life, Category 2	H411: Toxic to aquatic life with causing long-term adverse effects.

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word

Warning

Gin&Tonic

Version 1.0

Updated: February 21, 2025

Printed on: February 21, 2025.

Phrases indicating the type of hazard

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long-lasting effects.

Precautionary statements

Prevention:

P261 Avoid breathing mist or vapors.

P264 Wash body thoroughly after
handling.

P273 Avoid release to the environment. P280

Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical
advice/attention.

P391 Collect spillage.

Hazardous ingredients must be listed on the label:

2-hexyl-3-phenyl-2-propenal (trans C cis) – 101-86-0

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer) – 54464-57-2

linalool – 78-70-6

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) – 115-95-7

3-(3,4-Methylene dioxyphenyl)-2-methylpropanal – 1205-17-0

Terpenes and Terpenoids, lemon-oil – 68917-33-9

Oils, Lavandin – 93455-96-0

2.3 Other hazards

Hazards not otherwise classified

May cause phototoxicity

This substance/mixture does not contain any components considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percentage by weight]
1,3,4,6,7,8-heksahydro- 4,6,6,7,8,8- heksametyloindeno[5,6- c]piran	1222-05-5 214-946-9 01-2119488227-29	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (acute toxicity to the aquatic environment): 1 M factor	>= 10—< 20

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

		(Chronic toxicity to the aquatic environment): 1	
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0 165184-98-5 639-566-4 01-2119533092-50	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M factor (Acute toxicity for the aquatic environment): 1 Estimated acute toxicity Acute toxicity - oral route: 3,100.00 mg/kg	>= 2,5-< 5
o2,6-dimethyl-7-octen-2-ol	18479-58-8 242-362-4 01-2119457274-37	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system system) Estimated	>= 1-< 5

Gin&Tonic

Version 1.0

Updated: February 21, 2025

Printed on: February 21, 2025

		Acute toxicity Acute toxicity - oral route: 3,600.00 mg/kg	
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-Methylnaphtalene (main isomer)	54464-57-2 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M factor (Chronic toxicity to the aquatic): 1 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 2,5-< e 5
linalool	78-70-6 201-134-4	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 -< 5

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

	01-2119474016-42	Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 2,790.00 mg/kg	
3,7-dimethyl-1,6-octadien-3-yl acetate (=linalyl acetate)	115-95-7 204-116-4 01-2119454789-19	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity Acute toxicity - oral route: 13,934.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 1-< 5
Terpenes and Terpenoids, lemon oil	68917-33-9 84929-31-7 284-515-8 01-2119495512-35	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2;	>= 1-< 2.5

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

		oral route: 730.00 mg/kg	
Oils, Lavandin	93455-96-0 8022-15-9 297-384-7 01-2120736147-55	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 0.25-< 1
Substances with occupational exposure limits at the workplace:			
1,2-Benzenedicarboxylic acid, diethyl ester	84-66-2 201-550-6 01-2119486682-27	Estimated Acute toxicity Acute toxicity - oral route: 8,600.00 mg/kg	>= 50-< 70

The full text of the H statements cited in this section can be found in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Do not leave the injured person unattended. Remove from the danger zone. Show the attached Material Safety Data Sheet to the doctor. of the Hazardous Substance.
If inhaled	Place an unconscious person in a comfortable position and seek medical advice. If symptoms persist, call a doctor.
In case of skin contact skin	In case of skin contamination, rinse thoroughly with water. If clothing is contaminated, remove clothing. If the chemical enters the ear canal, seek medical advice immediately. If skin irritation persists, call a doctor.
In case of contact with eyes	Protect the undamaged eye. Remove contact lenses. As a precaution, rinse eyes with water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Immediately consult a Poison Control Center or doctor. Keep the airway clear. DO NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms	No data available
Hazards	Irritating to skin. May cause an allergic skin reaction.

4.3 Indications for any immediate medical assistance and special treatment of the victim

Treatment	Symptomatic treatment.
-----------	------------------------

Gin&Tonic		
Version 1.0	Updated: February 21, 2025	Printed on: February 21, 2025.

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media	Use water spray, alcohol-resistant foams, dry chemicals, or carbon dioxide.
Unsuitable extinguishing media	High-volume water stream

5.2 Special hazards arising from the substance or mixture

Special hazards during during firefighting	Prevent water from firefighting from entering water supply or sewage system.
---	--

5.3 Information for the fire department

Special protective equipment protective equipment for firefighters	If necessary during firefighting operations, wear a closed-circuit breathing apparatus.
Further information	Collect contaminated firefighting water separately. Do not dispose of it in the sewage system. Fire debris and contaminated firefighting water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions.	Prevent people from approaching the spill/spillage from the windward side. In emergency situations, use an approved self-contained breathing apparatus. The material may cause surfaces to become slippery. Use personal protective equipment.
--------------------------	---

6.2 Environmental precautions

Environmental precautions Environmental precautions	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewer system, notify the relevant authorities.
--	---

6.3 Methods and materials for preventing the spread of contamination and for decontamination

Cleaning methods	Thoroughly clean contaminated floors and objects in accordance with environmental regulations. Absorb into inert absorbent material (e.g., sand, silica gel , acid absorber,
------------------	---

universal, sawdust).
Store in suitable, closed containers until disposal.

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Methods for safe handling	Persons susceptible to skin sensitization or asthma, allergies, chronic or recurrent respiratory diseases should not be employed in any operations involving this mixture. Do not inhale vapors/dust. Avoid exposure - read the instructions before use. Avoid contamination of skin and eyes. Personal protective equipment: see section 8. Do not eat, drink, or smoke in the area of application. Dispose of wash water in accordance with local and national regulations. regulations.
Fire protection guidelines	Normal fire protection measures.
Temperature class	No data available
Firefighting class	No data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers	Keep container tightly closed in a dry and well-ventilated place. Open containers must be resealed and stored upright to prevent leakage. Electrical installations/equipment must comply with technical safety standards.
Other information on storage conditions	Room temperature / 10-30°C (50-85°F) Dry, well-ventilated, preferably full, hermetically sealed.
Storage guidelines	Protect from light.
German storage class (TRGS 510)	10 Flammable liquids

Gin&Tonic

Version 1.0

Updated: February 21, 2025

Printed on: February 21, 2025

Other information

No decomposition if stored and used as recommended.

7.3 Specific end use(s)

Specific uses

No data available

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Ingredients	CAS No.	Value	Control parameters	Update	Basis
1,2-Benzenedicarboxylic acid, diethyl ester	84-66-2	NDS	3 mg/m3	2021-02-19	PL NDS

8.2 Exposure control

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin.

Because product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that a potential exposure assessment be performed

exposure assessment before using or introducing the product. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOI indicated below are recommended for the worst-case hazard scenario. A hazard assessment will identify the more appropriate measures that should be taken. EN and ANSI standards are included in

recommendations; if necessary, refer to equivalent local standards.

12 24

www.topwosk.pl

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

Personal protective equipment (PPE) is always the last method of avoiding exposure. In each case, appropriate technical and organizational measures should be considered and implemented before selecting personal protective equipment. The selection of PPE is made by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

8.2.1 Technical measures

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no relevant exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection	Use safety goggles in accordance with EN 166/ANSI.
Hand protection	Z87.1 or equivalent local standards. Wear protective gloves when handling substances in open systems. Check gloves before use. Train operators in proper use. If only incidental exposure is anticipated : work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, with a breakthrough time of at least 10 minutes, tested for the chemicals indicated in section 3 of this safety data sheet. Replace gloves frequently. If direct contact with skin is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must exceed the contact time.
Other skin protection	Wear protective clothing covering hands and legs. The choice of protective equipment should be made depending on the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected.

Respiratory protection	<p>Respiratory protection should be used if exposure at the workplace exceeds the required limits.</p> <p>exposure limits or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including, but not limited to, irritation of the respiratory tract.</p> <p>effects, including but not limited to respiratory or olfactory irritation or smell, or where indicated by exposure assessment. The selection of air cleaners or the degree of</p> <p>of positive air pressure will depend on the results of the exposure assessment, including an assessment of specific activities and potential airborne concentrations. In exceptional cases, use a certified positive pressure self-contained breathing apparatus.</p> <p>If the risk analysis indicates the possibility of using a filter mask/half mask, use type:</p> <p>ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as a safeguard for engineering controls.</p> <p>If no technical safeguards are available, use a self-contained breathing apparatus or a full-face mask with air supply.</p> <p>Use filters and components that have been tested and comply with</p> <p>requirements of relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US).</p>
Thermal hazards	<p>If necessary, wear appropriate thermal protective clothing</p> <p>protective clothing.</p>
Hygiene measures	<p>Remove contaminated clothing and protective equipment before entering dining areas.</p> <p>Do not eat, drink, or smoke while working.</p> <p>Wash hands after each product handling.</p>

8.2.3 Environmental exposure controls

General recommendations	<p>Do not allow the product to enter the sewage system.</p> <p>If the product enters rivers, lakes, or the sewer system, notify the relevant authorities.</p>
-------------------------	---

SECTION G: Physical and chemical properties

G.1 Information on basic physical and chemical properties

Physical state	fluid
Form	clear liquid

Gin & Tonic		
Version 1.0	Updated: February 21, 2025	Printed on: February 21, 2025

Color	Colorless to pale yellow
Taste	Not specified
Smell	Citrus-like, floral
Odor threshold	Not applicable
Flash point	82 °C Method: Grabner mini-flash closed cup
Lower explosion limit	Not specified
Upper explosion limit	Not specified
Flammability	Not applicable
Particle size	No data available
Oxidizing properties	No data available
Auto-ignition temperature	not specified
Decomposition temperature	No data available
pH	not specified
Vapor pressure	0.0537 hPa at 20 °C Calculated (100.0 %)
Density	1,028.14 kg/m³ at 20 °C
Bulk density	Not applicable
Solubility in water	Not specified
Solubility/solidification	Not specified
Partition coefficient: n-octanol/water	Not applicable
Kinematic viscosity	No data available
Relative vapor density	No data available
Evaporation rate	no data available
Explosive properties	no data available

G.2 Other information
Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions	No decomposition if stored and used as recommended.
---------------------	---

10.4 Conditions to avoid

Conditions to be avoided	no data available
--------------------------	-------------------

Gin&Tonic		
Version 1.0	Updated: February 21, 2025	Printed on: February 21, 2025

avoid		
10.5 Incompatible materials		
Factors to avoid	Not applicable	
avoid		
10.6 Hazardous decomposition products		
Hazardous decomposition products	No data available	
Decomposition		
Thermal decomposition	No data available	

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity	
Acute toxicity - oral	No data available for this product.
Acute toxicity – oral route	
2-hexyl-3-phenyl-2-propenal (trans & cis)	LD50: 3,100 mg/kg Species: Rat
2,6-dimethyl-7-octen-2-ol	LD50: 3,600 mg/kg Species: Rat
2-acetyl-1,2,3,4,5,6,7,8-	LD50:> 5,000 mg/kg Species: Rat
octahydro-2,3,8,8-tetra-	
methylnaphtalene (mainisomer)	
Linalool	LD50: 2,790 mg/kg Species: Rat
3,7-dimethyl-1,6-octadien-3-	LD50: 13,934 mg/kg Species: Rat
yl acetate (= linalyl acetate)	
3-(3,4-Methylenedioxyphenyl)-2-	LD50: 3,561 mg/kg Species: Rat
methylpropanal	
2-propenyl 2(3)-	LD50: 730 mg/kg Species: Rat
methylbutoxyacetate	
Oils, Lavandin	LD50:> 5,000 mg/kg Species: Rat
1,2-Benzenedicarboxylic acid, diethyl	LD50: 8,600 mg/kg Species: Rat
ester	
Acute toxicity – via the respiratory tract	Estimated acute toxicity Exposure time: 4 h Dose:> 20.00 mg/l Method: Calculation method

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

Acute toxicity – after application to the skin No product data available.

Acute toxicity – after application to the skin

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (mainisomer) LD50:> 5,000 mg/kg Species: Rabbit
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) LD50:> 5,000 mg/kg Species: Rabbit
Oils, Lavandin LD50:> 5,000 mg/kg Species: Rabbit

Acute toxicity (other routes of of administration) No product data available.

Skin irritation May cause skin irritation and inflammation.

Eye irritation Vapors may cause irritation to the eyes, respiratory system, and skin.
and skin.

Sensitizing effect No product data available.

Mutagenic effect on reproductive cells reproductive cells No data available for this product.

Carcinogenicity No data available for this product.

Reproductive toxicity

Not classified due to lack of data.

Substance toxic to organs or systems - Single exposure

Substance toxic to organs or systems - Single exposure No product data available.

Toxic to organs or systems - Repeated exposure	
Toxic to organs or systems - Repeated exposure	No product data available.
Aspiration hazard	No product data available.
Phototoxicity	No product data available.
Further information	No product data available.

11.2 Information on other hazards

Properties that disrupt the functioning of the endocrine system

Product:

Assessment	This substance/mixture does not contain any ingredients considered to have endocrine-disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.
------------	--

Further information

Product:

Remarks	No data available
---------	-------------------

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:	M factor (Acute toxicity to the aquatic environment): 1
	M factor (Chronic toxicity to the aquatic environment): 1
alpha-hexylcinnamaldehyde:	M factor (Acute toxicity to the aquatic environment) : 1

Gin&Tonic

Version 1.0 Updated: February 21, 2025 Printed on: February 21, 2025

allyl (2-methylbutoxy)acetate: M factor
(Acute toxicity to the aquatic environment): 1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

12.6 Endocrine disrupting properties

Product:

Assessment This substance/mixture does not contain any components considered to have endocrine disrupting properties endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information Environmental hazards cannot be ruled out in in case of unprofessional use or disposal. It is toxic to aquatic organisms, causing long-term effects.

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product	<p>Dispose of at a licensed waste disposal facility. Dispose of in accordance with local regulations.</p> <p>The product should not be allowed to enter the water system or sewer system or soil.</p> <p>Do not contaminate ponds, waterways, or sewers with the product or used packaging.</p>
Contaminated packaging	<p>Do not expose containers to high temperatures, e.g. when working in high temperatures.</p> <p>Empty any remaining residue. Dispose of as unused product.</p> <p>Do not reuse empty containers.</p>
	<p>Dispose of in accordance with local regulations.</p>

SECTION 14: Transport information

14.1 UN number (UN number)

ADR: UN 3082

RID: UN 3082

IMDG: UN 3082

IATA: UN 3082

14.2 Proper shipping name UN

ADR	<p>ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S. ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.</p> <p>(EXTRACTS, LIQUID)</p>
RID	<p>ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID N.O.S., ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S.</p> <p>(EXTRACTS, LIQUID)</p>
IMDG	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)</p>
IATA	<p>Environmentally hazardous substance, liquid, n.o.s. (Extracts, liquid)</p>

Gin&Tonic

Version 1.0

Updated: February 21, 2025

Printed on: February 21, 2025

14.3 Transport hazard class(es)

ADR: 9

RID: 9

IMDG: 9

IATA: 9

14.4 Packing group

ADR: III

RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR	yes
Hazardous to the environment	
RID	yes
Hazardous to the environment	
IMDG	yes
Substance that may cause marine pollution	
IATA (Passenger)	Yes
Hazardous to the environment	
IATA (Cargo)	Yes
Hazardous to the environment	

14.6 Special precautions for users

ADR

Tunnel restriction code

: (-)

Gin&Tonic		
Version 1.0	Updated: February 21, 2025	Printed on: February 21, 2025

IMDG

IMDG Code Segregation Group

: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the substance or mixture

REACH - Candidate List of Substances substances very high risk for Authorization (Article 59).	Not prohibited and/or restricted
Legislation on the prevention of major accidents	ENVIRONMENTAL RISKS E2 Quantity 1: 200 t Quantity 2: 500 t
Pollution class (Germany)	WGK 2 significantly hazardous to water Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H-statements:	
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	Ingestion and inhalation may be fatal. death.
H312	Harmful in contact with skin.
H315	Irritating to skin.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.
H330	Inhalation may be fatal.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.

H373

H400

H410

H411

H412

unborn child.

May cause damage to organs through prolonged or repeated exposure after ingestion.

Very toxic to aquatic life.

Very toxic to aquatic life with long-term effects.

Toxic to aquatic life with long-lasting effects.

Harmful to aquatic life with long-lasting effects.

Full list of emergency response numbers worldwide.

	Country	Phone number		Country	Phone no.
	All Europe	+44 1235239670		New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520	APAC	All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149

	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/ Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671	LATAM	Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789		Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			