SAFETY DATA SHEET

in accordance with Regulation (EC) No.

TOP WOSK

Green Tea

Version 1.0 | Updated: March 20, 2025 | Printed on: March 20, 2025

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name	Green Tea
Product number	10000072
UFI	QY60-X0PE-M000-DEAG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition

1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WĄŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (ambulance)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) hazard to aquatic environment, Category 3	H412: Harmful to aquatic life with long-term adverse effects.

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard

Signal word	Precautionary statement
Hazard statements	**H317**: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long-lasting effects.

Precautionary statements

Prevention:

P261: Avoid breathing mist or vapors. **P273**:

Avoid release to the environment. **P280**:

Wear protective gloves.

Response:

P333+ P313: If skin irritation or rash occurs: Get medical advice/attention.

P 3 6 2 + P364: Take off contaminated clothing and wash it before reuse.

Waste disposal:

P501: Dispose of contents/container to an appropriate waste disposal facility.

Hazardous ingredients must be listed on the label:

- 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) – 115-95-7
- Linalool – 78-70-6
- 2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol) – 470-82-6
- 2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphthalene (main isomer) 54464-57-2
- (R)-p-Menta-1,8-diene – 5989-27-5
- 2-methyl-3-(4-isopropylphenyl)propanal– 103-95-7
- Citral – 5392-40-5
- Terpenes and Terpenoids, lemon oil – 68917-33-9
- Acetic acid, esters with turpentine-oil myrcene fraction terpene alcs.– 69103-01-1

- 3,7-dimethyl-6-octen-1-ol (=Citronellol) 106-22-9
- 3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate) – 105-87-3
- 2,4-dimethylcyclohex-3-ene-1-carbaldehyde– 68039-49-6
- Oils, Lavandin – 93455-96-0
- 3-(4-tert butylphenyl)-propanal– 18127-01-0
- 1-Methoxy-4-Propenylbenzene (=Anethole) – 4180-23-8
- 3,7-Dimethyl-2,6-octadien-1-yl acetate (cis C trans isomers) – 141-12-8
- Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (= β-pinene) – 127-91-3
- 1-(2,6,6-Trimethylcyclohexa-1,3-dien-1-yl)but-2-en-1-one– 23696-85-7
- Isoeugenol – 97-54-1

2.3 Other hazards

Hazards not otherwise classified None

This substance/mixture does not contain any components that are considered to be either persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above. bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article
57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percentage by weight]

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	115-95-7 204-116-4 01-2119454789-19	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity after oral administration: 13,934.00 mg/kg Acute toxicity after skin application: > 5,000.00 mg/kg	>= 1–< 5
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity after oral administration: 2 790.00 mg/kg	>= 1–< 5
2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol)	470-82-6 207-431-5 01-2119967772-24	Flam. Liq. 3; H226 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity after oral administration: 2	>= 1–< –5

		480 mg/kg	
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene(main isomer)	54464-57-2 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M factor (chronic aquatic toxicity): 1 Estimated acute toxicity: Acute toxicity after oral administration: > 5,000.00 mg/kg Acute toxicity after dermal administration: > 5,000.00 mg/kg	>= 1-< e 2,5
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-2119529223-47	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0.25–< e 1

		Estimated acute toxicity: Acute toxicity after oral administration: 5 600.00 mg/kg Acute toxicity after dermal administration: > 5,000.00 mg/kg	
2-methyl-3-(4-isopropylphenyl)propanal	103-95-7 203-161-7 01-2119970582-32	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0.25–< e 1
citral	5392-40-5 226-394-6 01-2119462829-23	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Estimated acute toxicity: Acute toxicity after oral administration: 4 960.00 mg/kg Acute toxicity after dermal administration: 2 250.00 mg/kg	>= 0.1-< e 1
benzyl benzoate	120-51-4 204-402-9 01-2119976371-33	Acute Tox. 4; H302 Aquatic Acute 1; H400	>= 0.25–< 1

		Aquatic Chronic 2; H411 M factor (acute aquatic toxicity): 1 Estimated acute toxicity: Acute toxicity after oral administration: 2 000.00 mg/kg Acute toxicity after dermal administration: 4,000.00 mg/kg	
Terpenes and Terpenoids, lemon oil	68917-33-9 84929-31-7 284-515-8 01-2119495512-35	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 0.25–< e 1
Acetic acid, esters with turpentine oil myrcene fraction terpene alcs.	69103-01-1 273-868-3 01-2120260055-65	Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity: Acute toxicity after oral administration: > 5,000.00 mg/kg	>= 0.25–< e 1

		Acute toxicity after skin application: > 5,000.00 mg/kg	
3,7-dimethyl-6-octen-1-ol (=citronellol)	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity after oral administration: 3 450.00 mg/kg Acute toxicity after dermal administration: 2 650.00 mg/kg	>= 0.1–< 1
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	105-87-3 906-083-8 01-2119973483-29	Skin Irrit. 2; H315 Skin Sens. 1B; H317Aquatic Chronic 3; H412 Estimated acute toxicity: Acute toxicity after oral administration: 6 330.00 mg/kg	>= 0.1–< 0.25
2,6-bis(1,1-dimethylethyl)-4 methylphenol	128-37-0 204-881-4 01-2119565113-46	Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0.1–< 0.25

		H410 M factor: Acute aquatic toxicity water: 1 Chronic aquatic toxicity: 1 Estimated acute toxicity: Acute toxicity after skin application: > 5,000.00 mg/kg	
1-Isopropyl-4-methylcyclohexa-1,4-diene (= gamma terpinene)	99-85-4 202-794-6	Flam. Liq. 3; H226 Repr. 2; H361 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 Estimated acute toxicity: Acute toxicity after oral administration: 3 650.00 mg/kg	>= 0.1–< 0.25
Oils, Lavandin	93455-96-0 8022-15-9 297-384-7 01-2120736147-55	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity:	>= 0.1–< 0.25

		Acute toxicity after oral administration: > 5,000.00 mg/kg Acute toxicity after skin application: > 5,000.00 mg/kg	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6 943-728-2 01-2119982384-28	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Estimated acute toxicity: Acute toxicity after oral administration: > 3,100.00 mg/kg Acute toxicity after dermal administration: 5,000.00 mg/kg	>= 0.1–< –0.25
3-(4-tert-butylphenyl)-propanal	18127-01-0 242-016-2 01-2119983533-30	Skin Irrit. 2; H315 Skin Sens. 1B; H317 STOT RE 2; H373 (Stomach, Liver) Aquatic Chronic 3; H412 Estimated	>= 0.1–< 0.25

		Acute toxicity: Acute toxicity after oral administration: 2 500 mg/kg Acute toxicity after dermal administration: > 5,000 mg/kg	
1-Methoxy-4-Propenylbenzene (= Anethole)	4180-23-8 224-052-0 01-2119979097-22	Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity after oral administration: 2 090.00 mg/kg Acute toxicity after dermal administration:> 5 000.00 mg/kg	>= 0.1–< e 1
3,7-Dimethyl-2,6-octadien-1-yl acetate(cis & trans isomers)	141-12-8 205-459-2 01-2120748334-54	Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity after oral administration: > 5,000.00 mg/kg Acute toxicity after dermal administration:> ,5 000.00 mg/kg	>= 0.1 -< 1

Bicyclo[3.1.1]heptane, 6,6-dimethyl- 2-methylene- (= Beta-pinene)	127-91-3 204-872-5 01-2119519230-54	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor: Acute aquatic toxicity: 1 Chronic toxicity: 1	>= 0.1 -< 0.25
1-(2,6,6-Trimethylcyclohexa-1,3-dien-1-yl)but-2-en-1-one	23696-85-7 23726-93-4 245-833-2 245-844-2 01-2120105798-49	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Estimated acute toxicity: Acute toxicity after oral administration: 2 900.00 mg/kg	≥ 0.0025–< – 0.02

isoeugenol	97-54-1 5932-68-3 202-590-7 01-2120223682-61	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 STOT SE 3; H335 (respiratory system) Specific concentration limit concentration: Skin sensitizer, category 1A; H317 ≥ 0.01% Estimated acute toxicity: Acute toxicity after oral administration: 1 560.00 mg/kg Acute toxicity after dermal administration: 1,770.00 mg/kg	>= 0.01 - < 0.02

The full text of the H statements cited in this section can be found in section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General recommendations

Do not leave the injured person unattended. Remove from the danger zone.
Show the attached Safety Data Sheet to the doctor.

	Hazardous Substance.
If inhaled	Place unconscious person in a comfortable position and seek medical advice. If symptoms persist, call a doctor.
In case of skin contact skin	In case of skin contamination, rinse thoroughly with water. If clothing is contaminated, remove clothing. If the chemical enters the ear canal, seek medical advice immediately. If skin irritation persists, consult a physician.
In case of contact with eyes	Protect the undamaged eye. Remove contact lenses. Immediately rinse eyes with plenty of water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Immediately consult a Poison Control Center or doctor. Keep the airway clear. DO NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms	No data available
Hazards	may cause an allergic skin reaction

4.3 Indications for any immediate medical assistance and special treatment of the victim

Treatment	Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	High-volume water stream

5.2 Special hazards arising from the substance or mixture

Special hazards during firefighting fire:	Do not allow firefighting water to enter sewage systems or watercourses.

5.3 Information for the fire department

Special protective equipment for firefighters	If necessary during firefighting operations, wear a closed-circuit breathing apparatus.
Further information	Collect contaminated firefighting water separately. Do not dispose of it in the sewage system. Fire debris and contaminated firefighting water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Precautions for people:	In emergency situations, use approved positive pressure breathing apparatus. The substance may cause slippery conditions. Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions environmental protection	Do not allow the product to enter the sewage system. In case of contamination of rivers, lakes, or sewers, notify the appropriate authorities.

6.3 Methods and materials for preventing the spread of contamination and for removing contamination

Cleaning methods	Thoroughly clean contaminated surfaces and objects in accordance with environmental protection regulations. Collect using inert absorbent material (e.g., sand, silica gel, universal sorbent, sawdust, acid sorbent). Store in suitable, tightly closed containers for disposal.

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage of substances and mixtures

7.1 Precautions for safe handling

Safe handling practices	Do not breathe vapors/dust.

	Avoid exposure – obtain special instructions before use instructions. Avoid contact with skin and eyes. For personal protection, see Section 8. Smoking, eating, and drinking should be prohibited in the application area. Dispose of rinsing water in accordance with local and national regulations.
Fire protection guidelines	Normal fire protection measures.
Fire protection	
Temperature class	no data available
Fire resistance class	no data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers	Keep container tightly closed in a dry and well-ventilated place. Open containers must be resealed and stored upright to prevent leakage. Electrical installations/equipment must comply with technical safety standards.
Other information on storage conditions	Room temperature / 10-30°C (50-85°F) Dry, well-ventilated, preferably full, hermetically sealed
Storage guidelines	Protect from light.
German storage class (TRGS 510)	10 Flammable liquids
Other information	No decomposition if stored and used as recommended.

7.3 Specific end use(s)

Specific uses	No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Component	CAS	Value	Control parameters	Update	Basis
citral	5392-40-5	NDS	27 mg/m3	2021-02-19	PL OEL
		NDSch	54 mg/m3	2021-02-19	PL OEL

8.2 Exposure control

Exposure assessment: exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin.

Because product use and release scenarios vary, and no two workplaces are exactly the same, it is recommended that a potential exposure assessment be performed before using or introducing the product. Exposure assessments should be performed by an occupational hygienist.

workplaces are exactly the same, it is recommended that an exposure assessment be performed prior to use or introduction of the product. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOIs indicated below are recommended for the worst-case hazard scenario. The hazard assessment will identify the most appropriate measures that should be implemented. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last method of avoiding exposure. In all cases, appropriate technical and organizational measures should be considered and implemented before selecting personal protective equipment. The selection of PPE is made by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in

SOI application.

8.2.1 Engineering controls

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye or face protection	Wear protective eyewear - goggles and face shields in accordance with EN 166 /ANSI Z87.1 or equivalent local standards .
Hand protection	Wear protective gloves when handling substances in open systems. Check gloves before use. Train operators in proper use. If only accidental exposure is expected: work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTMF739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in section 3 of this safety data sheet. Replace gloves frequently. If direct skin contact is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must exceed the contact time.
Other skin protection	Wear protective clothing covering hands and legs. The choice of protective equipment should be made depending on the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected.
Respiratory protection	Respiratory protection should be used if workplace exposure exceeds the required exposure limits or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including but not limited to respiratory or smell, or where an exposure assessment indicates this. The choice of air purifiers or the degree of of positive pressure air supply will depend on

	exposure assessment results, including an assessment of specific activities and potential airborne concentrations. In exceptional cases, use a certified self-contained breathing apparatus. If the risk analysis indicates that a filter mask/half mask can be used, use type: ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as engineering control safeguards. In the absence of technical safeguards, use self-contained breathing apparatus or full-face mask with air supply. Use filters and components that have been tested and meet the requirements of relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US).
Thermal hazards	If necessary, wear appropriate thermal protective clothing protective clothing.
Hygiene measures	Remove contaminated clothing and protective equipment before entering dining areas. Do not eat, drink, or smoke while working. Wash hands after each product handling.

8.2.3 Environmental exposure controls

General recommendations	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewage system, notify the appropriate authorities.

SECTION G: Physical and chemical properties

G.1 Information on basic physical and chemical properties

Physical state	liquid
Form	transparent liquid
Color	colorless to light yellow
Taste	unspecified
Smell	citrus, marine
Odor threshold	not applicable
Flash point	99°C (Method: Grabner closed cup apparatus)
Lower explosion limit	not determined
Upper explosion limit	Not determined
Flammability	not applicable
Particle size	no data available

Oxidizing properties	No data available
Auto-ignition temperature	Not determined
Decomposition temperature	No data available
pH	undetermined
Vapor pressure	0.0607 hPa at 20 °C (calculated, 99.7%)
Density	867.43 kg/m³ at 20 °C
Bulk density	not applicable
Solubility in water	no data available
Solubility/solidification	undetermined
Partition coefficient: n-octanol/water	not applicable
Kinematic viscosity	No data available
Relative vapor density	no data available
Evaporation rate	no data available
Explosive properties	no data available

G.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if the product is stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions	No decomposition occurs if the product is stored and used as recommended.

10.4 Conditions to avoid

Conditions to be avoid	no data available

10.5 Incompatible materials

Factors to avoid	Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition products	No data available
Decomposition	
Thermal decomposition	No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity

Acute toxicity - oral route No data available for the product itself.

Acute toxicity – oral route

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	LD50: 13,934 mg/kg	Species: rat
linalool	LD50: 2,790 mg/kg	Species: rat
2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol)	LD50: 2,480 mg/kg	Species: rat
2-acetyl-1,2,3,4,5,6,7,8- octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	LD50:> 5,000 mg/kg	Species: rat
(R)-p-mentha-1,8-diene	LD50: 5,600 mg/kg	Species: Mouse
citral	LD50: 4,960 mg/kg	Species: Rat
benzyl benzoate	LD50: 2,000 mg/kg	Species: Rat
Acetic acid, esters with turpentine-oil myrcene fraction terpene alcs.	LD50:> 5,000 mg/kg	Species: rat
3,7-dimethyl-6-octen-1-ol (= citronellol)	LD50: 3,450 mg/kg	Species: rat
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	LD50: 6,330 mg/kg	Species: rat
1-Isopropyl-4-methylcyclohexa-1,4-diene (= gamma terpinene)	LD50: 3,650 mg/kg	Species: rat
Oils, Lavandin	LD50:> 5,000 mg/kg	Species: rat
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	LD50:> 3,100 mg/kg	Species: rat
3-(4-tert-butylphenyl)-propanal	LD50: 2,500 mg/kg	Species: rat

1-Methoxy-4-propenylbenzene (= Anethole)	LD50: 2,090 mg/kg Species: rat
3,7-Dimethyl-2,6-octadien-1-yl acetate(cis & trans isomers)	LD50:> 5,000 mg/kg Species: rat
1-(2,6,6-Trimethylcyclohexa-1,3-dien-1-yl)but-2-en-1-one	LD50: 2,900 mg/kg Species: rat
isoeugenol	LD50: 1,560 mg/kg Species: rat
Acute toxicity – via the respiratory tract inhalation	No product data available.
Acute toxicity – after application to No product data available.	No data available for this product.

Acute toxicity – after application to the skin

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	LD50:> 5,000 mg/kg Species: rabbit
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	LD50:> 5,000 mg/kg Species: rabbit
(R)-p-mentha-1,8-diene	LD50:> 5,000 mg/kg Species: rabbit
citral	LD50: 2,250 mg/kg Species: rabbit
benzyl benzoate	LD50: 4,000 mg/kg Species: rabbit
Acetic acid, esters with turpentine oil myrcene fraction terpene alcs.	LD50:> 5,000 mg/kg Species: rabbit
3,7-dimethyl-6-octen-1-ol (= citronellol)	LD50: 2,650 mg/kg Species: rabbit
methylphenol	LD50:> 5,000 mg/kg Species: rabbit
Oils, Lavandin	LD50:> 5,000 mg/kg Species: rabbit
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	LD50: 5,000 mg/kg Species: rabbit
3-(4-tert-butylphenyl)-propanal	LD50:> 5,000 mg/kg Species: rabbit
1-Methoxy-4-Propenylbenzene (=Anethole)	LD50:> 5,000 mg/kg Species: rabbit
3,7-Dimethyl-2,6-octadien-1-yl acetate(cis & trans isomers)	LD50:> 5,000 mg/kg Species: rabbit
isoeugenol	LD50: 1,770 mg/kg Species: rabbit

Acute toxicity (other routes of administration)	No product data available.
Skin irritation	May cause skin irritation and inflammation.
Irritating to eyes	Vapors may cause irritation to the eyes, respiratory system, and skin. and skin.
Sensitizing effect	No product data available.
Mutagenic effect on reproductive cells reproductive cells	No data available for this product.
Carcinogenicity	No data available for this product.

Reproductive toxicity

Not classified due to lack of data.

Toxic to organs or systems - Single exposure

Toxic to organs or systems - Single exposure	No product data available.

Toxic to organs or systems - Repeated exposure

Substance toxic to organs or systems - Repeated exposure	No product data available.
Aspiration hazard	No data available for this product.
Phototoxicity	No product data available.
Further information	No product data available.

11.2 Information on other hazards

Endocrine disrupting properties

Product

Assessment	This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

Further information

Product:

Remarks	No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:

benzyl benzoate	M factor (acute aquatic toxicity): 1
2,6-di-tert-butyl-p-cresol	M factor (acute aquatic toxicity): 1 M factor (chronic aquatic toxicity): 1
pin-2(10)-ene	M factor (acute aquatic toxicity): 1 M factor (chronic aquatic toxicity): 1

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative. (vPvB) at a level of 0.1% or above.

12.6 Endocrine disrupting properties

Product:

Assessment	This substance/mixture does not contain any components considered to have endocrine-disrupting properties endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information	Environmental hazards cannot be ruled out case of unprofessional use or disposal. It is toxic to aquatic organisms, causing long-term effects.

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product	Deliver to a licensed waste disposal facility. Dispose of in accordance with local regulations. The product should not enter the water or sewage system sewage system or soil. Do not contaminate ponds, waterways, or canals with the product or used packaging.
Contaminated packaging	Do not expose containers to high temperatures, e.g. when working at high temperatures. Empty any remaining residue. Dispose of as unused product. Do not reuse empty containers.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN Number

Not applicable

14.2 UN proper shipping name

Not classified as dangerous goods

14.3 Transport hazard class(es)

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for users

IMDG IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the substance or mixture

REACH - Candidate List of Substances substances very high risk for Authorization (Article 59).	Not prohibited and/or restricted
Legal acts in the field of the prevention of major accidents	Not applicable
Pollution class of water (Germany)	WGK 2 significantly hazardous to water Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H-statements:

H226	Highly flammable liquid and vapor
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters .
H312	Harmful in contact with skin
H315	Irritating to skin.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child the unborn child
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long-lasting effects. long-term effects
H411	Toxic to aquatic life with long-lasting effects.
H412	Harmful to aquatic life with long-lasting effects.

Full list of emergency response numbers worldwide.

	Country	Phone number		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074

	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671	LATAM	Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789		Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690

Global	Global	+44 1865 407333			