in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Pure Cotton Product number 10000017

UFI 9J10-206E-900T-RWME

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use Fragrance composition

1.3 Details of the supplier of the safety data sheet

Company TOP WOSK PACIOREK I WĄŻ SPÓŁKA JAWNA Address Marszałkowska 58/15, 00-545 Warsaw

Phone +48 534 541 490 E-mail sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Skin irritant, Category 2 H315: Causes skin irritation

Irritating to eyes, Category 2 H319: Causes serious eye irritation

Skin sensitization, Category H317: May cause an allergic skin reaction

1

Long-term (chronic) hazard to H412: Harmful to aquatic life with

aquatic environment, Category 3 long-term adverse effects

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word Cauti

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

Hazard statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long-lasting effects

Precautionary statements

Prevention:

P261 Avoid breathing mist or vapors P264

Wash body thoroughly after handling

P273 Avoid release to the environment

P280 Wear protective gloves/eye protection/face protection

Response:

P333+ P313 If

skin irritation or rash: Get medical advice/attention

P 3 3 7 + P313 If eye irritation persists: Get medical

advice/attention.

eye irritation persists: Get medical advice/attention

Hazardous ingredients must be listed on the label:

4-tert-butylcyclohexyl acetate 32210-23-4

linalool 78-70-6

2-methyl-3-(4-isopropylphenyl)propanal 103-95-7

3,7-dimethyl-6-octen-1-ol (= citronellol) 106-22-9

3,7-dimethyl-2,6-octadien-1-ol (= nerol) 106-25-2

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one 127-51-5

10-undecenal 112-45-8

2,2-dimethyl-3-(4(2-ethylphenyl)propanal 67634-15-5

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

3-(3,4-Methylene dioxyphenyl)-2-methylpropanal 1205-17-0 cytral α and cytral ß 5392-40-5 2,4-dimethylcyclohex-3-ene-1-carbaldehyde 68039-49-6 Dodecanal 112-54-9

2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl – (= Eucalyptol) 470-82-6

2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components that are considered to be either persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above. bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percentage by weight]
2,6-dimethyl-7-octen-2-	18479-58-8	Skin Irrit. 2; H315 Eye	>= 5-< 10
ol	242-362-4	Irrit. 2; H319	
	242 302 4	Acute toxicity - oral	
	01-2119457274-37	route: 3	
		600.00 mg/kg	

in accordance with Regulation (EC) No.



Pure Cotton

		T	
3A,4,5,6,7,7A- Hexahydro-4,7-methano- 1H-inden-5(6)-yl propionate Phenylmethanol	68912-13-0 17511-60-3 272-805-7 241-514-7 01-2119969447-21 100-51-6	Aquatic Chronic 2; H411 Acute toxicity - oral: > 5,000.00 mg/kg Acute Tox. 4;	>= 2.5-< 5 >= 1-< 5
	202-859-9 01-2119492630-38	H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity - oral route: 1 620 mg/kg Acute toxicity - dermal: 2,500 mg/kg	
4-tert-butylcyclohexyl acetate	32210-23-4 250-954-9 01-2119976286-24	Skin Sens. 1B; H317 Acute toxicity - oral: 3 370 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 1-< 5
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity - oral: 2 790.00 mg/kg	>= 1-< 5
2-Ethyl-4-(2,2,3- trimethyl-3-cyclopenten- 1-yl)-2-buten-1-ol (main component)	28219-61-6 248-908-8 01-2119529224-45	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Acute toxicity - after application to	>= 1-< 2.5

in accordance with Regulation (EC) No.



Pure Cotton

	T	T = 222 - 22	Τ
		skin:> 5,000.00	
		mg/kg	
2-methyl-3-(4-	103-95-7	Skin Irrit. 2; H315	>= 0.25-< 1
isopropylphenyl)propanal	203-161-7	Skin Sens. 1B; H317 Aquatic	
	01-2119970582-32	Chronic 3; H412	
2-methylpropyl 2-	87-19-4	Acute Tox. 4;	>= 0.25-< 1
hydroxybenzoate	201-729-9	H302 Aquatic	
	201 723 3	Acute 1; H400	
		Aquatic Chronic 2;	
		H411	
		Acute toxicity - oral	
		route: 1	
		560.00 mg/kg	
		Acute toxicity - dermal: > 5,000.00	
		mg/kg	
		1116/18	
3,7-dimethyl-6-octen-1-	106-22-9	Skin Irrit. 2; H315 Eye	>= 0.1-< 1
ol (= citronellol)	203-375-0	Irrit. 2; H319 Skin	
	04 0440450005 00	Sens. 1B; H317	
	01-2119453995-23	Acute toxicity - oral:	
		3	
		450.00 mg/kg Acute toxicity -	
		dermal: 2,650.00	
		mg/kg	
3,7-dimethyl-2,6-	106-25-2	Skin Irrit. 2; H315 Eye	>= 0.1-< 1
octadien-1-ol (=	202 270 7	Irrit. 2; H319 Skin	
nerol)	203-378-7	Sens. 1B; H317	
	01-2119983244-33	Acute toxicity - oral:	
		4	
		500.00 mg/kg	
3-methyl-4-(2,6,6-	127-51-5	Skin Irrit. 2; H315 Eye	>= 0.25-< 1
trimethyl-2-cyclohexene-		Irrit. 2; H319 Skin	

in accordance with Regulation (EC) No.



Pure Cotton

1-yl)-3-buten-2-one	695-097-5 01-2120745133-63	Sens. 1B; H317 Aquatic Chronic 2; Acute toxicity - oral: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	
cis-3-hexenyl 2- hydroxybenzoate	65405-77-8 265-745-8 01-2119987320-37	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute toxicity - oral: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	>= 0.25-< 1
3-(3,4-Methylene dioxyphenyl)-2- methylpropanal	1205-17-0 214-881-6 01-2120740119-58	Skin Sens. 1B; H317 Repr. 2; H361 Aquatic Chronic 2; H411 Acute toxicity - oral: 3 561.00 mg/kg	>= 0.25-< 1
10-undecenal	112-45-8 203-973-1 01-2119980959-11	Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to > 5,000.00	>= 0.25 -< 1

in accordance with Regulation (EC) No.



Pure Cotton

		mg/kg	
2,2-dimethyl-3-(4(2-	67634-15-5	Skin Irrit. 2; H315	>= 0.25-< 1
ethylphenyl)propanal	67634-14-4	Skin Sens. 1B; H317	
	916-329-6	Aquatic Acute 1; H400 Aquatic	
	01-2120758796-34	Chronic 2; H411	
		Acute toxicity - oral:	
		> 5,000.00 mg/kg	
		Acute toxicity - dermal: > 5,000.00	
		mg/kg	
4-Methyl-2-(2-methyl-1-	16409-43-1	Skin Irrit. 2; H315 Eye	>= 0.1-< 1
propenyl)tetrahydro-2H-	240-457-5	Irrit. 2; H319 Repr. 2;	
pyran	01-2119976300-42	H361	
cytral α and cytral ß	5392-40-5	Skin Irrit. 2; H315 Eye	>= 0.1-< 1
	226-394-6	Irrit. 2; H319 Skin	
	01-2119462829-23	Sens. 1; H317 Acute toxicity - oral	
		route: 4	
		960.00 mg/kg	
		Acute toxicity -	
		dermal: 2,250.00	
		mg/kg	
2,4-dimethylcyclohex-	68039-49-6	Skin Irrit. 2; H315	>= 0.1-< 0.25
3-ene-1-carbaldehyde		Skin Sens. 1; H317	0.2
	943-728-2	Aquatic Chronic 2;	
	01-2119982384-28	H411 Acute toxicity -	
		oral: > 3 100.00 mg/kg	
		TOO.OO HIG/ Kg	
	L	<u> </u>	<u> </u>

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

		Acute toxicity - after application to the skin: > 5,000.00 mg/kg	
Dodecanal	112-54-9	Skin Irrit. 2; H315 Eye	>= 0.1-< 1
	203-983-6	Irrit. 2; H319 Skin	
	203-303-0	Sens. 1B; H317	
	01-2119969441-33	Acute toxicity -	
		gastrointestinal tract: >	
		23 100.00 mg/kg	
2-	470-82-6	Flam. Liq. 3; H226	>= 0.1-< 1
oxabicyclo(2.2.2)octane,	207-431-5	Eye Irrit. 2; H319 Skin	
1,3,3-trimethyl- (=	207-431-3	Sens. 1B; H317	
Eucalyptol)	01-2119967772-24	Acute toxicity -	
		oral route: 2	
		480 mg/kg	

The full text of the H statements mentioned in this section can be found in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General recommendations	Remove from the danger zone
-------------------------	-----------------------------

Present the attached Safety Data Sheet to the doctor

of the Hazardous Substance

Do not leave the injured person unattended

In case of inhalation Place an unconscious person in a comfortable position and

seek

medical advice

If symptoms persist, call a doctor

In case of skin contact

If skin irritation persists, call a doctor

In case of skin contamination - rinse well with water In case of contamination of clothing - remove clothing

In case of contact with eyes Remove contact lenses

Immediately rinse eyes for at least 15 minutes. Seek

medical attention.

If swallowed Keep the airway open

Do not give milk or alcoholic beverages

Never give anything by mouth to an unconscious person.

If symptoms persist, call a doctor.

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms No data available Hazards Irritating to skin.

May cause an allergic skin reaction.

Irritating to eyes.

4.3 Indications for any immediate medical attention and special treatment of

the victim

Treatment No data available

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media Dry powder extinguishing

agents Alcohol-resistant foam Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing media No data available

5.2 Special hazards associated with the substance or mixture

Special hazards during firefighting Do not allow water used to extinguish the fire to enter

fire the water supply or sewage system

5.3 Information for the fire department

Special protective equipment for If necessary, wear a

firefighters closed-circuit breathing apparatus

Further information Collect contaminated firefighting water separately

Do not discharge into drains

SECTION 6: Accidental release measures

6.1 Individual precautions, protective equipment, and emergency procedures

Individual precautions No data available

6.2 Environmental precautions

Environmental protection precautions Do not allow the product to enter the sewage system

environmental If the product has entered rivers, lakes, or sewers,

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

Notify the relevant authorities

6.3 Methods and materials for preventing the spread of contamination and for decontamination

Methods of decontamination Absorb with inert absorbent material (e.g., sand, silica gel, acid

absorbent, universal absorbent, sawdust) Store in suitable, closed containers until

disposal

6.4 References to other sections

Not applicable

SECTION 7: Handling and storage of substances and mixtures

7.1 Precautions for safe handling

Methods for safe handling Do not inhale vapors/dust

Avoid exposure - read the instructions before use Avoid skin

and eye contact

Personal protective equipment: see section 8

Do not eat, drink, or smoke in the area of use Dispose of water from smuggling in accordance with local and

national regulations

Fire protection guidelines Normal fire protection measures

Temperature class

Firefighting class

Dust explosion class

No data available

No data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for rooms and Keep container tightly closed in a dry and

storage containers well-ventilated place

Open containers must be resealed and stored upright to

prevent leakage

Electrical installations/equipment must comply with

technical safety standards

Other information on storage conditions Room temperature / 10-30°C (50-85°F)

Dry, well-ventilated, preferably full, hermetically sealed

Storage guidelines

German storage class (TRGS

10 Flammable liquids

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023.

510)

Other information No decomposition if stored and used

as recommended

7.3 Specific end use(s)

Specific uses No data available

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Ingredients	CAS No	Value	Control	Update	Basis
			parameter		
			S		
Benzyl alcohol	100-51-6	NDS	240 mg/m³	2018-07-07	PL NDS
cytral α and cytral ß	5392-40-5	NDS	27 mg/m ³	2018-07-07	PL NDS
			54 mg/m³	2018-07-07	PL NDS

8.2 Exposure control

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin. Since product use and release scenarios vary, and no two workplaces are exactly the same, it is recommended that an assessment of potential exposure be performed prior to use or introduction of the product.

should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional.

An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOI indicated below are recommended for the worst-case hazard scenario. The hazard assessment identifies the more appropriate measures that should be used. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last method of avoiding exposure. In all cases, appropriate technical and organizational measures should be considered and applied before selecting

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

personal protective equipment. PPE is selected by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

8.2.1 Engineering controls

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection Use safety glasses - goggles and face shields in accordance with

EN 166 / ANSI Z87.1 or equivalent local standards

Hand protection

When handling substances in open systems, wear protective gloves. Check gloves before use. Train operators in proper use. If only incidental exposure is anticipated: work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in Section 3 of this safety data sheet). Replace gloves frequently.

If direct skin contact is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals indicated in section 3 of this safety data sheet. The permeation time must

exceed the contact time.

Other skin protection Wear protective clothing covering hands and legs.

The type of protective equipment should be selected

the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete

chemical protective suit if exposure is expected.

Respiratory protection Respiratory protection should be used if exposure in the

workplace exceeds the required exposure limits or guidelines.

If there are no required exposure limits or guidelines, use a

certified respirator when

there is a potential risk of adverse effects, including

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

including irritation of the respiratory tract or sense of smell, or where indicated by an exposure assessment.

The choice of air cleaners or the degree of overpressure of the supply air will depend on the results of the exposure assessment, including an assessment of specific activities and potential airborne concentration.

In exceptional cases, use a certified positive pressure selfcontained breathing apparatus.

If the risk analysis indicates that a filter mask/half mask can be used, use type: ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as engineering control protection.

In the absence of technical safeguards, use

a self-contained breathing apparatus or a full-face mask with air supply.

Use filters and components that have been tested and meet the requirements of relevant government standards, such as CEN

(EU) or NIOSH 42 CFR 84 (US).

Thermal hazards If necessary, wear appropriate thermal protective clothing

protective clothing.

Hygiene measures Remove contaminated clothing and protective equipment

before entering dining areas.

Do not eat, drink, or smoke while working. Wash hands after each handling of the product.

8.2.3 Environmental exposure controls

General recommendations Do not allow the product to enter the sewage system.

If the product has entered rivers, lakes, or the sewage

system, notify the relevant authorities.

SECTION G: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid Form clear liquid

Color colorless to pale yellow

Taste not specified

Odor Floral, citrus-like, aldehyde

Odor threshold Not applicable

Flash point 99 °C Method: Grabner mini closed cup ignition

13 22

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

Lower Explosive Limit Not specified Upper explosion limit not specified Flammability Not applicable Particle size no data available No data available Oxidizing properties Auto-ignition temperature not specified Decomposition temperature No data available рН not specified **Boiling** point not specified

Vapor pressure 0.0418 hPa at 20 °C Calculated (100.0 %)

898.38 kg/m³ at 20 °C Density **Bulk density** Not applicable Solubility in water Not specified Solubility/solidification Not specified Partition coefficient: n-octanol/water Not applicable Kinematic viscosity No data available No data available Relative vapor density **Evaporation rate** no data available **Explosive properties** no data available

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

The product is chemically stable

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and used

as recommended.

10.4 Conditions to avoid

Conditions to avoid No data available

10.5 Incompatible materials

Factors to avoid: No data available

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition

No data available No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute toxicity - oral route Estimated acute toxicity

Dose: > 2,000 mg/kg Method: Calculation method

Acute toxicity - oral route

2,6-dimethyl-7-octen-2-ol LD50: 3,600 mg/kg, Species: Rat 3A,4,5,6,7,7A-Hexahydro-4,7-methano-LD50:> 5,000 mg/kg, Species: Rat 1H-inden-5(6)-yl propionate benzyl alcohol LD50: 1,620 mg/kg, Species: Rat 4-tert-butylcyclohexyl acetate LD50: 3,370 mg/kg, Species: Rat LD50: 2,790 mg/kg, Species: Rat linalool LD50: 1,560 mg/kg, Species: Rat 2-methylpropyl 2-hydroxybenzoate 3,7-dimethyl-6-octen-1-ol (= citronellol) LD50: 3,450 mg/kg, Species: Rat 3,7-dimethyl-2,6-octadien-1-ol (= nerol) LD50: 4,500 mg/kg, Species: Rat 3-methyl-4-(2,6,6-trimethyl-2-LD50:> 5,000 mg/kg, Species: Rat cyclohexen-1-yl)-3-buten-2-one

cis-3-hexenyl 2-hydroxybenzoate LD50:> 5,000 mg/kg, Species: Rat 3-(3,4-Methylene dioxyphenyl)-2- LD50: 3,561 mg/kg, Species: Rat methylpropanal

10-undecenal LD50:> 5,000 mg/kg, Species: Rat 2,2-dimethyl-3-(4(2-ethylphenyl)propanal cytral α and cytral β LD50:> ,500 mg/kg, Species: Rat LD50: 4,960 mg/kg Species: Rat LD50:> 3,100 mg/kg Species: Rat carbaldehyde

dodecanal LD50:> 23,100 mg/kg Species: Rat 2-oxabicyclo(2.2.2)octane, 1,3,3- LD50: 2,480 mg/kg Species: Rat trimethyl- (= Eucalyptol)

Acute toxicity – via estimated acute toxicity exposure time: 4h

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

Respiratory Dose:> 20.00 mg/l

method: calculation method

Acute toxicity – after application to

the skin

no product data

available

Acute toxicity - after application to the skin

benzyl alcohol Estimated acute toxicity: 2,500 mg/kg Species: Rat

4-tert-butylcyclohexyl acetate LD50:> 5,000 mg/kg Species: Rabbit

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten LD50:> 5,000 mg/kg Species: Rat -1-yl)-2-buten-1-ol (main component)

2-methylpropyl 2-hydroxybenzoate LD50:> 5,000 mg/kg Species: Rabbit 3,7-dimethyl-6-octen-1-ol (= citronellol) LD50: 2,650 mg/kg Species: Rabbit

3-methyl-4-(2,6,6-trimethyl-2- LD50:> 5,000 mg/kg Species: Rabbit

cis-3-hexenyl 2-hydroxybenzoate LD50:> 5,000 mg/kg Species: Rabbit

10-undecenal LD50:> 5,000 mg/kg Species: Rabbit

2,2-dimethyl-3-(4(2)- LD50:> 5,000 mg/kg Species: Rabbit ethylphenyl)propanal

cytral α and cytral β LD50: 2,250 mg/kg Species: Rabbit

LD50: 5,000 mg/kg Species: Rabbit

Acute toxicity (other routes of

cyclohexen-1-yl)-3-buten-2-one

of administration)

carbaldehyde

no product data

available

Skin irritation may cause skin irritation and inflammation

Irritating effect on the eyes Vapors may cause irritation to the eyes,

respiratory system, and skin.

and skin

Sensitizing effect No product data

available

Mutagenic effect on cells

reproductive cells

No data available

Carcinogenicity No data available for the product

16 22

www.topwosk.pl

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

Harmful effects on reproduction

Not classified based on available information

Toxic to organs or systems - Single exposure

Toxic to organs or No product data

systems - Single exposure available

Toxic to organs or systems - Repeated exposure

Substance toxic to organs or No product data

systems - Repeated exposure available

Aspiration hazard No product data

available

Phototoxicity no product data

available

Further information No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product

Assessment This substance/mixture does not contain ingredients that

are considered to have endocrine-active properties according to REACH Article 57(f), Commission Delegated

Regulation (EU) 2017/2100, or Commission Regulation (EU)

20218/606 at

levels of 0.1% or higher.

Further information

Product:

Remarks No data available

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

SECTION 12: Ecological Information

12.1 Toxicity

Ingredients: isobutyl salicylate:

M factor (Acute toxicity to the aquatic environment)

(Z)-3-hexenyl salicylate: M-factor (Acute 1 toxicity to aquatic environment)

3-(p-ethylphenyl)-2,2- 1 dimethylpropionaldehyde:

M factor (Acute toxicity to aquatic environment)

12.2 Durability and degradability

No data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB)

at a level of 0.1% or above.

12.6 Endocrine disrupting properties

Product:

Assessment

This substance/mixture does not contain any components that are considered to have endocrine-active properties

according to

REACH Article 57(f), Commission Delegated Regulation (EU)

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

2017/2100 or Commission Regulation (EU) 20218/606 at

levels of 0.1% or higher.

12.7 Other harmful effects of

Product:

Additional ecological information Environmental hazards cannot be ruled out in the event of

unprofessional use or disposal. Harmful to aquatic organisms,

causing long-term adverse effects.

harmful to aquatic organisms, causing long-term

effects.

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product The product should not be allowed to enter the water system

or

sewer system or soil.

Do not contaminate ponds, waterways, or canals with the

product or used packaging.

Dispose of at a licensed waste disposal facility.

Contaminated packaging Empty of any remaining residue.

Dispose of as unused product. Do not reuse empty containers

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number (UN number)

N/A

14.2 Proper shipping name UN

N/A

14.3 Transport hazard class(es)

N/A

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

14.4 Packaging group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for users

IMDG

IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Legal regulations concerning safety, health, and environmental protection specific to the substance or mixture

REACH - Candidate List of Substances

substances of very high concern for

Authorization (Article 59)

Legislation on the prevention of

serious accidents:

Water pollution class (Germany)

Not prohibited and/or restricted

Not applicable

WGK 2 significantly hazardous to water

Classification according to AwSV, Annex

1 (5.2)

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H-statements:

H226 Flammable liquid and vapors.

H302H315Harmful if swallowed.Irritating to skin.

H317 May cause an allergic skin reaction.

H319 Irritating to eyes.
H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

in accordance with Regulation (EC) No.



Pure Cotton

Version 2.0 Updated: November 22, 2023 Printed on: November 22, 2023

unborn child.

H400 Very toxic to aquatic organisms.

H411 Toxic to aquatic life with long-lasting effects.

H412 Harmful to aquatic life with long-lasting effects.

Full list of emergency response numbers worldwide.

	Country	Phone number		Country	Phone no.
	All Europe	+44 1235239670		New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293
_	Greece	+30 21 1198 3182	APAC	Malaysia	+60 3 6207 4347
Europe	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech	+420 228 882 830		Philippines	+63 2 8231 2149
	Republic				
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/	All Middle	+44 1235 239671		Korea	+82 2 3479 8401

in accordance with Regulation (EC) No.



Pure Cotton

Africa	East/Africa				
	Bahrain and	+44 1235 239671		Mexico	+52 55 5004 8763
	Middle East				
	Africa				
	Africa/South	+27213002732	-	Brazil	+55 11 3197 5891
	Africa				
	USA and	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	Canada		LATAIVI		
NOAM	USA and	+1 215 207 0061	-	Colombia	+57 1 508 7337
NOAM	Canada				
	USA and	+1 202 464 2554	-	Argentina	+54 11 5984 3690
	Canada				
Global	Global	+44 1865 407333			