

## Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

## SECTION 1: Identification of the substance/mixture and of the company

## 1.1 Product identifier

Trade name	Raspberry Reverie
Product number	10000066
UFI	D360-VOSF-J002-S0GU

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

## 1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

## 1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

## SECTION 2: Hazard identification

## 2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) hazard to aquatic environment, Category 3	H412: Harmful to aquatic life, causing long-term adverse effects.

## 2.2 Label elements

## Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction.

## Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

### Precautionary statements

H412 Harmful to aquatic life,  
causing long-term adverse effects.

Prevention:

P261 Avoid breathing mist or vapors.

P273 Avoid release to the environment. P280

Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical  
advice/attention.

P362+ P364 Take off contaminated clothing and wash  
before reuse.

Waste disposal (or recycling):

P501 Dispose of contents/container to  
an authorized waste disposal facility.

Hazardous ingredients must be listed on the label:

linalool – 78-70-6

3,7-dimethyl-1,6-dien-3-ol (cis C trans) – 10339-55-6

3,7-dimethyloctan-3-ol – 78-69-3

ethyl 2,3-epoxy-3-phenyl(butyrate) – 77-83-8

3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate) – 105-87-3

1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one – 57378-68-4

1-(2,6,6-Trimetylo-cykloheksa-1,3-dien-1-ylo)but-2-en-1-on – 23696-85-7

## 2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentration [Percentage by weight]
2-tert-butylcyclohexyl acetate	88-41-5 20298-69-5 20298-70-8 201-828-7 243-718-1 243-719-7 01-2119970713-33	Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral: 4,600.00 mg/kg Acute toxicity - after application to > 5,000.00	>= 5 -< 10

		mg/kg	
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315  Eye Irrit. 2; H319  Skin Sens. 1B; H317  Estimated acute toxicity Acute toxicity - oral route:  2,790.00 mg/kg	>= 1-< 5
3,7-dimethylnona- 1,6-dien-3-ol (cis& trans)	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit. 2; H319  Skin Sens. 1B;  H317  Estimated acute toxicity  Acute toxicity - oral route:  > 5,000.00 mg/kg  Acute toxicity - after application to the skin: >5,000.00 mg/kg	>= 1-< 5
3,7-dimethyloctan-3-ol	78-69-3 201-133-9 01-2119454788-21	Skin Irrit. 2; H315  Eye Irrit. 2; H319  Skin Sens. 1B;  H317 Estimated	>= 1-< 5

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		Acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (= beta ionone)	14901-07-6 79-77-6 8013-90-9 201-224-3 201-224-3 232-396-8 01-2119449921-34	Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral: 3,940 mg/kg	>= 1-< 2.5
Benzyl acetate	140-11-4 205-399-7 01-2119638272-42	Aquatic Chronic 3; H412 Estimated Acute toxicity Acute toxicity - oral route: 2,490.00 mg/kg	>= 1-< 2,5
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one	127-41-3 8013-90-9 204-841-6	Aquatic Chronic 3; H412 Estimated	>= 1-< 2.5

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

	232-396-8 01-2120138061-71	Acute toxicity  Acute toxicity - oral route:  4,590.00 mg/kg	
butyl acetate	123-86-4 204-658-1 01-2119485493-29	Flam. Liq. 3; H226  STOT SE 3; H336  (Central nervous system )  EUH066 Estimated acute toxicity  Acute toxicity - oral route:  10,768.00 mg/kg  Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 1-< 5
cis-hex-3-en-1-ol	928-96-1 213-192-8 01-2119969743-23	Flam. Liq. 3; H226  Eye Irrit. 2; H319  Estimated acute toxicity  Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 1-< 5

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8 201-061-8 01-2119967770-28	Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to the skin: > 5,000.00 mg/kg	>= 1-< 2,5
3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol)	4940-11-8 225-582-5	Acute Tox. 4; H302 Estimated acute toxicity Acute toxicity - oral route: 1,150.00 mg/kg	>= 1-< 5
3,7-dimethyl-2,6-octadienyl acetate (=geranyl acetate)	105-87-3 906-083-8 01-2119973483-29	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Estimated acute toxicity	>= 0.25-< 1

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

		Acute toxicity - oral route: 6,330.00 mg/kg	
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	Acute Tox. 4; H302	>= 0.025 - <0.1
	71048-82-3	Skin Irrit. 2; H315	
	260-709-8	Skin Sens. 1A;	
	275-156-8	H317	
	01-2119535122-53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Coefficient M (Acute toxicity for the aquatic environment ): 1 M factor (Chronic toxicity to the aquatic ): 1 Estimated  acute toxicity Acute toxicity - oral route: 1,400 mg/kg	
1-(2,6,6-	23696-85-7	Skin Irrit. 2; H315	>= 0.025 - < 0.1



Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Trimethylcyclohexa-1,3-dien-1-yl)but-2-en-1-one	23726-93-4 245-833-2 245-844-2 01-2120105798-49	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Estimated acute toxicity Acute toxicity - oral route: 2,900.00 mg/kg	
Substances with occupational exposure limits at the workplace:			
BIS(2-ETHYLHEXYL) HEXANEDIOATE	103-23-1 203-090-1 01-2119439699-19	Estimated Acute toxicity Acute toxicity - oral route: 9,100.00 mg/kg	>= 50-< 70
isopentyl acetate	123-92-2 204-662-3 01-2119548408-32	Flam. Liq. 3; H226 EUH066 Estimated acute toxicity Acute toxicity - oral route: > 5,000.00 mg/kg Acute toxicity - after application to the skin:> 5,000.00 mg/kg	>= 1-< 5

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

The full text of the H statements cited in this section can be found in section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Do not leave the injured person unattended. Remove from the danger zone. Show the attached Material Safety Data Sheet to the doctor. of the Hazardous Substance.
If inhaled	Place an unconscious person in a comfortable position and seek medical advice. If symptoms persist, call a doctor.
In case of skin contact skin	In case of skin contamination, rinse thoroughly with water. If the chemical enters the ear canal, consult a doctor immediately. ear canal, seek medical advice immediately.
In case of contact with eyes	Protect the undamaged eye. Remove contact lenses. As a precaution, rinse eyes with water. Keep your eyes wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Immediately consult a Poison Control Center or doctor. Keep the airway clear. DO NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms	No data available
Hazards	May cause an allergic skin reaction.

4.3 Indications for any immediate medical attention and special treatment of the victim

Treatment	Symptomatic treatment.
-----------	------------------------

SECTION 5: Firefighting measures

5.1 Firefighting media

Suitable extinguishing media	Use water spray, alcohol-resistant foams, dry
------------------------------	---

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Unsuitable extinguishing media	chemicals or carbon dioxide. High-volume water stream
--------------------------------	--

5.2 Special hazards arising from the substance or mixture

Special hazards during during firefighting	Prevent water used to extinguish the fire from entering the water supply or sewage system.
---	---

5.3 Information for the fire department

Special protective equipment for firefighters	If necessary during firefighting operations, wear a closed-circuit breathing apparatus.
Further information	Collect contaminated firefighting water separately. Do not dispose of it in the sewage system. Fire debris and contaminated firefighting water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Individual precautions.	In emergency situations, use an approved self-contained breathing apparatus. The material may cause surfaces to become slippery. Use personal protective equipment.
----------------------------	--

6.2 Environmental precautions

Environmental precautions Environmental protection	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewer system, notify the relevant authorities.
---	--

6.3 Methods and materials for preventing the spread of contamination and for removing contamination

Cleaning methods	Clean contaminated floors and objects thoroughly in accordance with environmental regulations. Absorb with inert absorbent material (e.g., sand, silica gel, acid absorbent, universal absorbent, sawdust). Store in suitable, closed containers until until disposal.
------------------	---

6.4 References to other sections

Not applicable	
----------------	--

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

SECTION 7: Handling and storage of substances and mixtures

7.1 Precautions for safe handling

Safe handling handling	Do not breathe vapors/dust. Avoid exposure - read the instructions before use. Avoid skin and eye contact. Personal protective equipment: see section 8. Do not eat, drink, or smoke in the area of use. Dispose of wash water in accordance with local and national regulations.
Protection guidelines fire protection	Normal fire protection measures.
Temperature class	No data available
Firefighting class	No data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers	Keep container tightly closed in a dry and well-ventilated place. Open containers must be resealed and stored upright to prevent leakage. Electrical installations/equipment must comply with technical safety standards.
Other information on storage conditions	Room temperature / 10-30°C (50-85°F) Dry, well-ventilated, preferably full, hermetically sealed
Storage guidelines	Protect from light.
German storage class (TRGS 510)	10 Flammable liquids
Other information	No decomposition if stored and used as recommended.

7.3 Specific end use(s)

Specific uses	No data available
---------------	-------------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients	CAS	Value	Control parameters	Update	Basis
BIS(2-ETHYLHEXYL)HEXANEDIOATE	103-23-1	NDS	400 mg/m3	2021-02-19	PL NDS
butyl acetate	123-86-4	STEL	150 ppm 723 mg/m3	2019-10-31	2019/183 1/EU
Further information:	Indicative				
		TWA	50 ppm 241 mg/m3	2019-10-31	2019/183 1/EU
Further information:	Indicative				
		NDS	240 mg/m3	2021-02-19	PL NDS
		NDSch	720 mg/m3	2021-02-19	PL NDS
isopentyl acetate	123-92-2	STEL	100 ppm 540 mg/m3	2000-06-16	2000/39/E C
Further Information:	Indicative				
		TWA	50 ppm 270 mg/m3	2000-06-16	2000/39/E C
Further Information:	Indicative				

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

8.2 Exposure control

Exposure assessment:

Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin.

Since product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that an assessment of potential exposure be performed prior to use or introduction of the product.

Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional.

An exposure assessment should be conducted to determine the effectiveness of each ventilation system and the need for additional SOI protection. The SOIs indicated below are recommended for the worst-case scenario.

The hazard assessment will identify the most appropriate measures to be taken. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

Personal protective equipment (PPE) is always the last resort to avoid exposure.

In all cases, appropriate technical and organizational measures should be considered and applied before selecting personal protective equipment.

The selection of PPE is made by persons trained in working with chemicals in accordance with the principles of good hygiene and safety practice. Operators must be trained in the use of PPE.

8.2.1 Technical measures

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection

Use safety goggles compliant with EN 166/ANSI

Hand protection

Z87.1 or equivalent local standards.

Wear protective gloves when handling substances in open systems. Check gloves before use. Train operators in the use of

14 24

[www.topwosk.pl](http://www.topwosk.pl)

## Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

Proper use. If only incidental exposure is anticipated) : work without direct contact with the substance (use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in section 3 of this safety data sheet. Change gloves frequently.

If direct contact with the skin is anticipated: use gloves tested in accordance with EN 16523-1 / ASTM F739 or equivalent local standards, tested for the chemicals listed in Section 3 of this safety data sheet. The permeation time must exceed the contact time.

## Other skin protection

Wear protective clothing covering hands and legs. The choice of protective equipment should be made depending on the concentration and amount of the hazardous substance in the workplace. Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected.

## Respiratory protection

Respiratory protection should be used if exposure in the workplace exceeds the required exposure limits or guidelines. If there are no required exposure limits or guidelines, use a certified respirator when there is a potential risk of adverse effects, including but not limited to respiratory or smell, or where an exposure assessment indicates this. The choice of air purifiers or the degree of of positive air pressure will depend on the results of the exposure assessment, including an assessment of specific activities and potential airborne concentrations. In exceptional cases, use a certified positive pressure self-contained breathing apparatus.

If the risk analysis indicates the possibility of using a filter mask/half mask, use type:

ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as engineering control protection.

In the absence of technical safeguards, use a self-contained breathing apparatus or a full-face mask with air supply.

Use filters and components that have been tested and meet the requirements of relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US).

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Thermal hazards	If necessary, wear appropriate thermal protective clothing
Hygiene measures	protective clothing. Before entering dining areas, remove contaminated clothing and protective equipment. Do not eat, drink, or smoke while working. Wash hands after each handling of the product.
8.2.3 Environmental exposure control	
General recommendations	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewer system, notify the appropriate authorities.

SECTION G: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	colorless to pale yellow
Taste	Not specified
Smell	Fruity
Odor threshold	Not applicable
Flash point	86 °C Method: Grabner mini closed vessel
Lower explosion limit	Not specified
Upper explosion limit	Not specified
Flammability	Not applicable
Particle size	No data available
Oxidizing properties	No data available
Auto-ignition temperature	not specified
Decomposition temperature	No data available
pH	not specified
Vapor pressure	0.319 hPa at 20 °C Calculated (99.9%)
Density	949.28 kg/m3 at 20 °C
Bulk density	Not applicable
Solubility in water	Not specified
Solubility/solidification	Practically insoluble
Partition coefficient: n-octanol/water	Not applicable
Kinematic viscosity	No data available
Relative vapour density	no data available
Evaporation rate	no data available



Raspberry Reverie

Version 1.0 Updated: March 24, 2025 Printed on: March 24, 2025

Explosive properties No data available

9.1 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and used as recommended.

10.4 Conditions to avoid

Conditions to be avoid no data available

10.5 Incompatible materials

Factors to be avoid Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition products No data available  
Decomposition  
Thermal decomposition No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity

Acute toxicity - oral Estimated acute toxicity  
Dose: > 2,000 mg/kg Method:  
Calculation method

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025

Acute toxicity – oral route

2-tert-butylcyclohexyl acetate	LD50: 4,600 mg/kg Species: Rat
Linalool	LD50: 2,790 mg/kg Species: Rat
3,7-dimethylnona-1,6-dien-3-ol (cis & trans)	LD50:> 5,000 mg/kg Species: Rat
3,7-dimethyloctan-3-ol	LD50:> 5,000 mg/kg Species: Rat
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (= ionone beta)	LD50: 3,940 mg/kg Species: Rat
Benzyl acetate	LD50: 2,490 mg/kg Species: Rat
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one	LD50: 4,590 mg/kg Species: Rat
Butyl acetate	LD50: 10,768 mg/kg Species: Rat
ethyl 2,3-epoxy-3-phenylbutyrate	LD50:> 5,000 mg/kg Species: Rat
3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol)	LD50: 1,150 mg/kg Species: Rat
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	LD50: 6,330 mg/kg Species: Rat
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	LD50: 1,400 mg/kg Species: Rat
1-(2,6,6-Trimethylcyclohexa-1,3-dien-1-yl)but-2-en-1-one	LD50: 2,900 mg/kg Species: Rat
BIS(2-ETHYLHEXYL) HEXANEDIOATE	LD50: 9,100 mg/kg Species: Rat
isopentyl acetate	LD50:> 5,000 mg/kg Species: Rat

Acute toxicity – inhalation inhalation

No product data available.

Acute toxicity – after application to skin

No data available for this product.

Acute toxicity – after application to the skin

2-tert-butylcyclohexyl acetate	LD50:> 5,000 mg/kg Species: Rabbit
3,7-dimethylnona-1,6-dien-3-ol (cis & trans)	LD50:> 5,000 mg/kg Species: Rabbit

Raspberry Reverie

Version 1.0 Updated: March 24, 2025 Printed on: March 24, 2025

3,7-dimethyloctan-3-ol	LD50:> 5,000 mg/kg Species: Rabbit
Butyl acetate	LD50:> 5,000 mg/kg Species: Rabbit
cis-hex-3-en-1-ol	LD50:> 5,000 mg/kg Species: Rabbit
ethyl 2,3-epoxy-3-phenylbutyrate	LD50:> 5,000 mg/kg Species: Rabbit
isopentyl acetate	LD50:> 5,000 mg/kg Species: Rabbit

Acute toxicity (other routes of administration) No product data available.

Skin irritation May cause skin irritation and inflammation.

Eye irritation Vapors may cause irritation to the eyes, respiratory system, and skin.

Sensitizing effect No product data available.

Mutagenic effect on reproductive cells No data available for this product.

Carcinogenicity No data available for this product.

Reproductive toxicity  
Not classified due to lack of data.

Substance toxic to organs or systems - Single exposure

Substance toxic to organs or systems - Single exposure No product data available.

Substance toxic to organs or systems - Repeated exposure

Substance toxic to organs or systems - Repeated exposure No product data available.

Aspiration hazard No product data available.

Raspberry Reverie		
Version 1.0	Updated: March 24, 2025	Printed on: March 24, 2025.

Phototoxicity

No product data available.

Further information

No product data available.

11.2 Information on other hazards

Properties that disrupt the functioning of the endocrine system

Product:

Assessment

This substance/mixture does not contain any ingredients considered to have endocrine-disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.  
Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

Further information

Product:

Remarks

No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:

1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one:

M factor (Acute toxicity to the aquatic environment): 1  
M factor (Chronic toxicity to the aquatic environment ): 1

12.2 Persistence and degradability

no data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility in soil

No data available

## Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

**12.5 Results of the PBT and vPvB assessment****Product:**

## Assessment

This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

**12.6 Endocrine disrupting properties****Product:**

## Assessment

This substance/mixture does not contain any components considered to have endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

**12.7 Other adverse effects****Product:**

## Additional ecological information

Environmental hazards cannot be ruled out case of unprofessional use or disposal.  
Harmful to aquatic organisms, causing long-term effects.

**SECTION 13: Waste treatment****13.1 Waste disposal methods**

## Product

Dispose of at a licensed waste disposal facility. Dispose of in accordance with local regulations.

The product should not enter the water supply or sewage system or soil.

Do not contaminate ponds, waterways, or canals with the product or used packaging.

## Contaminated packaging

Do not expose containers to high temperatures, e.g. when working at high temperatures.

Empty any remaining residue. Dispose of as unused product.

Do not reuse empty containers.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

N/A

14.2 Proper shipping name UN

Not regulated as dangerous goods

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for users

IMDG

IMDG Code Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the substance or mixture

REACH - Candidate List of Substances substances of very high concern for Authorization (Article 59).	Not prohibited and/or restricted
Legal acts concerning the prevention of major accidents	Not applicable
Water pollution class (Germany)	WGK 2 significantly hazardous to water Classification according to AwSV, Annex 1 (5.2)

**15.2 Chemical safety assessment**  
The substance does not require a chemical safety assessment.

**SECTION 16: Other information**

**Full text of H statements:**

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Irritating to skin.
H317	May cause an allergic skin reaction.
H319	Irritating to eyes.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long-term effects.
H411	Toxic to aquatic life with long-lasting effects.
H412	Harmful to aquatic life with long-lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking. cracking of the skin.

**Full list of Emergency response numbers worldwide.**

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293

Raspberry Reverie

Version 1.0

Updated: March 24, 2025

Printed on: March 24, 2025

	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671		Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			