

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Trade name	Rich Amber
Product number	10000002
UFI	7G40-80NW-Q00N-7HEM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E-mail	sklep@topwosk.pl

1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (medical emergency)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture (REGULATION (EC) No. 1272/2008)

Skin irritant, Category 2	H315: Causes skin irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) hazard to aquatic life, Category 1	H410: Very toxic to aquatic life causing long-term adverse effects.

2.2 Label elements

Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word	Warning
Hazard statements	H315: Causes skin irritation.

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024.

Precautionary statements

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long-lasting effects.

Prevention

P261: Avoid breathing mist or vapors. P264:

Wash body thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves.

Response:

P333+ P313: If skin irritation or rash occurs: Get medical advice/attention.

P391: Contain spillage.

Hazardous ingredients must be listed on the label:

- 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer): 54464-57-2
- linalool: 78-70-6
- 2-methoxy-4-(2-propen-1-yl)-phenol (eugenol): 97-53-0
- 2H-1-benzopyran-2-one (=coumarin): 91-64-5
- 1,3-Benzodioxole-5-carboxaldehyde (=piperonal): 120-57-0
- 4,11,11-trimethyl-8-methylene-bicyclo[7.2.0]undec-4-ene (=caryophyllene): 87-44-5
- oils, lemon, psoralene free: 84929-31-7
- 3-phenyl-2-propenal (=cinnamic aldehyde): 104-55-2

2.3 Other hazards

Hazards not otherwise classified

None

This substance/mixture does not contain any components considered to be persistent, bioaccumulative and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered to be endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

in accordance with Regulation (EC) No.



Version 3.0

Updated: October 11, 2024

Printed on: 10/24/2024

Toxicological information: This substance/mixture does not contain any components considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

3.2 Mixtures

Hazardous ingredients

Chemical name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentr ation [Percent age by weight]
2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethylnaphthalene (main isomer)	54464-57-2 915-730-3 01 2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M factor (Chronic toxicity to the aquatic environment): 1 Estimated acute toxicity: Acute toxicity - oral:> 5,000.00 mg/kg Acute toxicity - dermal: > 5,000.00 mg/kg	= 25 -< 30

benzyl benzoate	120-51-4 204-402-9 01 2119976371-33	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M factor (Acute toxicity to the aquatic environment): 1 Estimated acute toxicity: Acute toxicity - oral route: 2 000.00 mg/kg Acute toxicity - dermal: 4,000.00 mg/kg	= 10< 20
reaction mass: (E)-oxycyclohexadec-12-en-2-one; (E)-oxycyclohexadec-13-en-2-one a (Z)-oxycyclohexadec-12-en-2-one and b (Z)-oxycyclohexadec-13-en-2-one	34902-57-3 111879-80-2 01- 0000016883-62	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity to the aquatic environment): 1	= 1 < 2.5
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (main component)	28219-61-6 248-908-8 01-	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2;	= 1< 2.5

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024

	2119529224-45	H411 Estimated acute toxicity: Acute toxicity - after application to the skin: > 5,000.00 mg/kg	
linalool	78-70-6 201-134-4 01- 2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity - oral: 2790.00 mg/kg	= 1-< 5
1,4-dimethyl-7-isopropenyl-delta-9,10-octahydro-azulene	88-84-6 201-860-1	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Asp. Tox. 1; H304 Estimated acute toxicity: Acute toxicity - oral: > 5,000.00 mg/kg	= 1-< 5
2,2,6,8-tetramethyltricyclo[5.3.1.0^3,8]undecan-3-ol	5986-55-0 227-807-2	Aquatic Chronic 2; H411	= 1-< 2,5
2-methoxy-4-(2-propen-1-yl)-phenol (eugenol)	97-53-0 202-589-1 01-	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Estimated acute toxicity:	= 1-< 5

5 22

www.topwosk.pl

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024

	2119971802-33	Acute toxicity - oral route: 2 130.00 mg/kg	
2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7 01- 2119949300-45	Acute Tox. 4; H302 Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity - oral: 500 mg/kg	= 1-< 5
3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin)	121-32-4 204-464-7 01 2119958961-24	Eye Irrit. 2; H319 Estimated acute toxicity: Acute toxicity - after application to the skin: > 7,940.00 mg/kg	= 1-< 5
1,3-Benzodioxole-5-carboxaldehyde (= piperonal)	120-57-0 204-409-7 01- 2119983608-21	Skin Sens. 1B; H317 Estimated acute toxicity: Acute toxicity – oral route: 2700.00 mg/kg. Acute toxicity – dermal: > 5000.00 mg/kg	= 0.1-< 1
4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene)	87-44-5 201 746-1 01	Skin Sens. 1B; H317 Asp. Tox. 1; H304 Estimated acute toxicity:	>= 0.1-< 1

	2120745237-53	Acute toxicity - oral: > 5000.00 mg/kg Acute toxicity - dermal: > 5000.00 mg/kg	
oils, lemon, psoralene free	84929-31-7 68916-89-2 8008-56-8 284-515-8 01- 2119455512-35	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 0.1 - < 0.25
3-phenyl-2-propenal (= Cinnamic aldehyde)	104-55-2 203-213-9 01 2119935242-45	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 Estimated acute toxicity: Acute toxicity - oral: 2 220.00 mg/kg	>= 0.025—< 0.1
alpha cedrene	469-61-4 207-418-4	Skin Irrit. 2; H315 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute toxicity to aquatic environment): 10 M factor (Chronic toxicity to the environment	>= 0.025—< 0.1

		water): 10 M factor Chronic toxicity to the aquatic environment: 10 Estimated acute toxicity: Acute toxicity - oral route: > 5000.00 mg/kg Acute toxicity - dermal: > 5000.00 mg/kg	
--	--	--	--

The full text of the H statements cited in this section can be found in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General recommendations:	Do not leave the injured person unattended. Remove from the danger zone. Show the attached Safety Data Sheet to the doctor. for the Hazardous Substance.
In case of inhalation:	Place unconscious person in a comfortable position and seek medical advice. If symptoms persist, call a doctor.
In case of skin contact:	In case of skin contamination, rinse thoroughly with water. If clothing is contaminated, remove clothing. If the chemical enters the ear canal, seek medical advice immediately. If skin irritation persists, call a doctor.
In case of contact with eyes:	Protect the undamaged eye. Remove contact lenses. As a precaution, rinse eyes with water. Keep eyes wide open during rinsing. If eye irritation persists, consult a doctor.

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024.

If swallowed:

specialist.
Immediately consult a Poison Control Center or doctor.
Keep the airway clear. Do not induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a doctor.

4.2 Most important acute and delayed symptoms and effects of exposure

Symptoms:

No data available

Hazards:

irritating to the skin, may cause an allergic skin reaction
allergic skin reaction

4.3 Indications for any immediate medical attention and special treatment of the victim

Treatment:

Symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

use water spray, alcohol-resistant foams, dry chemicals, or carbon dioxide

Unsuitable extinguishing media:

high-volume water stream

5.2 Special hazards arising from the substance or mixture

Special hazards during firefighting fire:

do not allow water used to extinguish the fire to enter the water supply or sewage system

5.2 Information for the fire department

Special protective equipment for firefighters:

if necessary, wear a closed-circuit breathing apparatus

Further information:

Collect contaminated firefighting water separately. It must not be disposed of in the sewage system. Fire debris and contaminated firefighting water must be disposed of in accordance with local regulations

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions:	Keep people away from the spill or spillage on the windward side. In emergency situations, use use approved self-contained breathing apparatus. The material may cause slippery surfaces. Use personal protective equipment.
-----------------------	--

6.2 Environmental precautions

Environmental precautions	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewage system, notify the relevant authorities.
---------------------------	---

6.3 Methods and materials for preventing the spread of contamination and for decontamination

Cleaning methods	Thoroughly clean contaminated floors and objects in accordance with environmental regulations. Absorb with inert absorbent material such as sand, silica gel silica gel, acid absorbent, universal absorbent, or sawdust. Store in suitable, closed containers until disposal.
------------------	--

6.4 References to other sections

Not applicable.	
-----------------	--

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Methods of safe handling	Individuals susceptible to skin sensitization or asthma, allergies, chronic or recurrent respiratory diseases should not be employed in any operations involving this mixture. Do not inhale vapors or dust. Avoid exposure before use. Read the instructions. Avoid contamination of skin and eyes. eyes. Personal protective equipment is described in section 8. Do not eat, drink, or smoke in the area of use. Dispose of water from smuggling in accordance with local and national regulations.
Fire protection guidelines	Normal fire protection measures.

Temperature class	No data available.
Firefighting class	No data available.
Dust explosion class	No data available.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for rooms and storage containers	Keep container tightly closed in a dry and well-ventilated place. Opened containers must be resealed and stored upright to prevent leakage. Electrical installations/equipment must comply with technical safety standards.
Other information on storage conditions: Storage guidelines	Room temperature / 10-30°C (50-85°F). Dry, well ventilated, preferably full, hermetically sealed. Protect from light
German storage class (TRGS 510):	10 Flammable liquids
Other information	No decomposition if stored and used as recommended.

7.3 Specific end use(s)

Specific uses:	No data available
----------------	-------------------

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Does not contain substances with occupational exposure limits.

8.2 Exposure controls

Exposure assessment: Exposure depends on the product used, the potential for chemical release, and any concentrations formed in the air or in contact with the skin. Since product use and release scenarios vary, and no two workplaces are exactly alike, it is recommended that an exposure assessment be performed prior to use or introduction of the product.

should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental professional. An exposure assessment should be conducted to determine the effectiveness of any ventilation and the need for additional SOI protection. The SOIs indicated below are recommended for the worst-case hazard scenario. A hazard assessment will identify the appropriate measures that should be taken. EN and ANSI standards are included in the recommendations; if necessary, refer to equivalent local standards.

RICH AMBER

Version 3.0 Updated: October 11, 2024 Printed on: October 24, 2024

Personal protective equipment (PPE) is always the last resort to avoid exposure. In all cases, appropriate technical and organizational measures must be considered and implemented before selecting personal protective equipment. PPE is selected by persons trained in working with chemicals in accordance with good hygiene and safety practices. Operators must be trained in the use of PPE.

8.2.1 Technical measures

Use engineering controls to maintain airborne levels below required exposure limits or recommendations. If there are no applicable exposure limits or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

- Eye/face protection:

Wear safety goggles in accordance with EN 166/ANSI Z87.1 or equivalent local standards.
- Hand protection:

Wear protective gloves when handling substances in open systems. Check gloves before use. Train operators in proper use. If only incidental exposure is anticipated, work without direct contact with the substance (use gloves tested in accordance with EN 16523-1/ASTM F739 or equivalent local standards, breakthrough time of at least 10 minutes, tested for the chemicals indicated in Section 3 of this safety data sheet). Replace gloves frequently. If direct skin contact is anticipated, use gloves tested in accordance with EN 16523-1/ASTM F739 or equivalent local standards, tested for the chemicals indicated in Section 3 of this safety data sheet. The permeation time must exceed the contact time.
- Other skin protection:

Wear protective clothing covering your hands and legs. The type of protective equipment should be selected depending on the concentration and amount of the hazardous substance in the workplace.
Use an apron or sleeve covers or a complete chemical protective suit if exposure is expected exposure is expected.
- Respiratory protection:

Respiratory protection should be used if exposure in the workplace exceeds the required exposure limits or guidelines. If no exposure limits or guidelines are available, use a certified respirator

	<p>when there is a potential risk of adverse effects, including, but not limited to, respiratory or smell, or where indicated by an exposure assessment. The choice of air purifiers or the degree of of the supply air overpressure will depend on the results of the exposure assessment, including the assessment of specific activities and potential concentration in the air. In exceptional cases, use a certified positive pressure self-contained breathing apparatus. If the risk analysis indicates that a filter mask/half mask can be used, use type ABEK-P3 (EN 14387) or a combination with Multi-gas/P100 (42CFR84.193; ANSI Z88.7) or equivalent local standards as engineering control protection. In the absence of technical safeguards, use a self-contained breathing apparatus breathing apparatus or a full-face mask with air supply. Use filters and components that have been tested and that meet the requirements of relevant government standards, such as CEN (EU) or NIOSH 42 CFR 84 (US).</p>
Thermal hazards:	If necessary, wear appropriate thermal protective clothing protective clothing.
Hygiene measures:	Remove before entering dining areas. contaminated clothing and protective equipment. Do not eat, drink, or smoke while working. Wash your hands after each use of the product. product.

8.2.3 Environmental exposure controls

General recommendations:	Do not allow the product to enter the sewage system. If the product has entered rivers, lakes, or the sewage system, notify the relevant authorities.
--------------------------	---

SECTION G: Physical and chemical properties

G.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	pale yellow to yellow
Taste	not specified
Aroma	oriental, forest, spicy
Aroma threshold	not applicable
Flash point	110 °C Method: mini-ignition closed cup Graben
Lower explosion limit	not specified

Upper explosion limit	Not specified
Flammability	no data available
Particle size	no data available
Oxidizing properties	no data available
Auto-ignition temperature	not specified
Decomposition temperature	No data available
pH	not specified
Vapor pressure	0.0121 hPa at 20 °C Scaled (99.9%)
Density	941.30 kg/m3 at 20 °C
Bulk density	not specified
Solubility in water	limited solubility
Solubility/solidification	not specified
Partition coefficient: n-octanol/water	not applicable
Kinematic viscosity	No data available
Relative vapor density	no data available
Evaporation rate	no data available
Explosive properties	No data available

G.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and used as recommended.

10.2 Chemical stability

No decomposition if stored and used as recommended.

10.3 Possibility of hazardous reactions

Hazardous reactions:	No decomposition if stored and used as recommended.
----------------------	---

10.4 Conditions to avoid

Conditions to avoid:	no data available
----------------------	-------------------

10.5 Incompatible materials

Factors to avoid:	Not applicable
-------------------	----------------

10.6 Hazardous decomposition products

Hazardous decomposition products:	no data available
Thermal decomposition:	no data available

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity	
Acute toxicity - oral	Dose:> 2,000 mg/kg Method: Calculation method
Acute toxicity - oral	
2-acetyl-1,2,3,4,5,6,7,8-octahydro 2,3,8,8-tetra-methylnaphthalene (main isomer):	LD50:> 5,000 mg/kg Species: Rat
Benzyl benzoate:	LD50: 2,000 mg/kg, Species: Rat
linalool:	LD50: 2,790 mg/kg, Species: Rat
1,4-dimethyl-7-isopropenyl-delta-9,10- octahydro-azulene:	LD50:> 5,000 mg/kg, Species: Rat
2-methoxy-4-(2-propen-1-yl)-phenol (eugenol):	LD50: 2,130 mg/kg, Species: Guinea pig
2H-1-benzopyran-2-one (= coumarin):	Estimated acute toxicity: 500 mg/kg, Species: Rat
1,3-Benzodioxole-5-carboxaldehyde (= piperonal):	LD50: 2,700 mg/kg, Species: Rat
4,11,11-trimethyl-8- methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene):	LD50:> 5,000 mg/kg, Species: Rat
3-phenyl-2-propenal (= Cinnamic aldehyde):	LD50: 2,220 mg/kg, Species: Rat
alpha cedrene:	LD50:> 5,000 mg/kg, Species: Rat
Acute toxicity – via the respiratory tract inhalation	No product data available.
Acute toxicity – after application to the skin	No product data available.

Acute toxicity – after application to the skin

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer):	LD50:> 5,000 mg/kg, Species: Rabbit
Benzyl benzoate:	LD50: 4,000 mg/kg, Species: Rabbit
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (main component):	LD50:> 5,000 mg/kg, Species: Rat
3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin):	LD50:> 7,940 mg/kg, Species: Rabbit
1,3-Benzodioxole-5-carboxaldehyde (= piperonal):	LD50> ,5000 mg/kg, Species: Rat
4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene):	LD50> 5000 mg/kg, Species: Rabbit
alpha cedrene:	LD50> 5000 mg/kg, Species: Rabbit

Acute toxicity (other routes of administration)

No product data available.

Skin irritation

May cause skin irritation and inflammation.

Eye irritation

Vapors may cause irritation to the eyes, respiratory system, and skin.
and skin.

Sensitizing effect

No product data available.

Mutagenic effect on reproductive cells
reproductive cells

No data available for this product.

Carcinogenicity

No data available for this product.

Reproductive toxicity

Not classified due to lack of data.

Substance toxic to organs or systems - Single exposure

Substance toxic to organs or

No product data available.

RICH AMBER		
Version 3.0	Updated: October 11, 2024	Printed on: October 24, 2024

Systems - Repeated exposure	
Substance toxic to organs or systems - Repeated exposure	
Substance toxic to organs or systems - Repeated exposure	No product data available.
Aspiration hazard	No product data available.
Phototoxicity	No product data available.
Further information	No data available
11.2 Information on other hazards	
Endocrine disrupting properties	
Product	
Assessment	This substance/mixture does not contain any components considered to have endocrine-disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.
Further information	
Product:	
Remarks	No data available

SECTION 12: Ecological information

12.1 Toxicity

Ingredients:

benzyl benzoate

M factor (Acute toxicity to the aquatic environment): 1

HABANOLIDE

RICH AMBER

Version 3.0 Updated: October 11, 2024 Printed on: October 24, 2024

M factor (Acute toxicity to aquatic environment): 1
[3R-(3alpha,3beta,7beta,8alpha)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene M-factor (Acute toxicity to the aquatic environment): 10
M factor (Chronic toxicity for the aquatic environment): 10

12.2 Persistence and degradability

no data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture does not contain any components that are considered to be persistent, bioaccumulative, and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

12.6 Endocrine disrupting properties

Product:

Assessment This substance/mixture does not contain any components considered to have endocrine-disrupting properties endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above. Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional environmental information	Environmental hazards cannot be ruled out if handled or disposed of improperly. Very toxic to aquatic organisms, causing long-lasting effects.
--------------------------------------	--

SECTION 13: Waste treatment

13.1 Waste disposal methods

Product	Dispose of at a licensed waste disposal facility. Dispose of in accordance with local regulations. The product should not enter the water or sewage system or soil. Do not contaminate ponds, waterways, or sewers with the product or used packaging.
Contaminated packaging	Do not expose containers to high temperatures, e.g. when working in high temperatures. Empty of remaining residues. Dispose of as unused product. Do not Reuse empty containers.
Dispose of in accordance with local regulations.	

SECTION 14: Transport information

14.1 UN number (UN number)

ADR: UN 3082
RID: UN 3082
IMDG: UN 3082
IATA: UN 3082

14.2 Proper shipping name UN

ADR: ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S., ENVIRONMENTALLY HAZARDOUS MATERIAL, LIQUID, N.O.S. (EXTRACTS, LIQUID)
RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)
IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID)
IATA: Environmentally hazardous substance, liquid, n.o.s. (Extracts, liquid)

RICH AMBER

Version 3.0

Updated: October 11, 2024

Printed on: October 24, 2024

14.3 Transport hazard class(es)

ADR: 9

RID: 9

IMDG: 9

IATA: 9

14.4 Packing group

ADR: III

RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR - Environmentally hazardous: yes

RID - Environmentally hazardous: yes

IMDG - Marine pollutant: yes

IATA (Passenger) - Environmentally hazardous: yes

IATA (Cargo) - Environmentally hazardous: yes

14.6 Special precautions for users

IMDG

ADR - Tunnel restriction code: (-) IMDG - IMDG Code

Segregation Group: None

14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable to the product as supplied.

SECTION 15: Regulatory information

15.1 Legal provisions relating to safety, health, and environmental protection specific to substances or mixtures mixtures

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59):

Legislation on the prevention of major accidents: Accidents

Water pollution class (Germany):

Not prohibited and/or restricted

Environmental hazards - E1

Quantity 1: 100 t

Quantity 2: 200 t

WGK 3 severe water pollution

Classification according to AwSV, Annex 1 (5.2)

20 22

www.topwosk.pl

15.2 Chemical safety assessment

The substance does not require a chemical safety assessment.

SECTION 16: Other information

Full text of H-statements:

- H226

Flammable liquid and vapor.
- H302

Harmful if swallowed.
- H304

Ingestion and inhalation may be fatal. death.
- H315

Irritating to skin.
- H317

May cause an allergic skin reaction.
- H318

Causes serious eye damage.
- H319

Irritating to eyes.
- H332

Harmful if inhaled.
- H335

May cause respiratory irritation.
- H336

May cause drowsiness or dizziness.
- H400

Very toxic to aquatic organisms.
- H411

Toxic to aquatic life with long-lasting effects.
- H412

Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone no.		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230

	Norway	+47 2103 4452		Indonesia	007 803 011 0293
	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671		Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			