

## Strawberry

Version 10.0

Updated: February 22, 2024

Printed on: February 22, 2024

### SECTION 1: Identification of the substance/mixture and of the company

#### 1.1 Product identifier

Trade name	Strawberry
Product number	10000044
UFI	MY30-70HH-V00P-8FX7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use	Fragrance composition
--------------	-----------------------

#### 1.3 Details of the supplier of the safety data sheet

Company	TOP WOSK PACIOREK I WAŻ SPÓŁKA JAWNA
Address	Marszałkowska 58/15, 00-545 Warsaw
Phone	+48 534 541 490
E	sklep@topwosk.pl

#### 1.4 Emergency phone number

112 (emergency number), 998 (fire department), 999 (ambulance)

### SECTION 2: Hazard identification

#### 2.1 Classification of the substance or mixture (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1	Skin Sens. 1, H317
Hazardous to the aquatic environment - Chronic hazard, Category 2	Aquatic Chronic 2, H411

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No. 1272/2008)

Pictograms indicating the type of hazard



Signal word

WARNING

## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

### Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long-lasting effects.

### Precautionary statements

#### Prevention:

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray. P272 Do not take contaminated protective clothing outside the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing  
protective clothing/eye protection/face  
protection/hearing protection/ ...

#### Response:

P302+ P352 IF ON SKIN:

Wash with plenty of water.

P321 Specific treatment (see label for more details).

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+ P364 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

#### Disposal:

P501 Dispose of contents/container to  
in accordance with local, national, or international  
regulations.

Hazardous ingredients must be listed on the label:

EC 201-061-8 ETHYL METHYLPHENYLGLYCIDATE

EC 204-262-9 BENZYL SALICYLATE

### 2.3 Other hazards

Strawberry

VersionUpdated: February 22, 2024Printed on: February 22, 2024

This substance/mixture does not contain any components considered to be persistent, bioaccumulative bioaccumulation and toxic, or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or above.

Ecological information: This substance/mixture does not contain any components considered endocrine disrupting properties according to Article 57(f) of REACH, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or above.

Toxicological information: This substance/mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at levels of 0.1% or higher.

SECTION 3: Ingredients/information on ingredients

3.2 Mixtures

Hazardous ingredients

Chemical Name	CAS No. EC No. Registration number	Classification (REGULATION (EC) No. 1272/2008)	Concentr ation [Percent age by weight]
DI-(2-ETHYLHEXYL) ADIPATE	103-23-1  203-090-1		60<= x%< 70
ETHYL METHYLPHENYLGLYCIDATE	77-83-8  201-061-8	GHS07, GHS09  Wng  Skin Sens. 1B, H317  Aquatic Chronic 2, H411	20<= x%< 23
ETHYL MALTOL	4940-11-8  225-582-5	GHS07  Wng  Acute Tox. 4, H302	1<= x %< 2.5

Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

METHYL BETA-NAPHTHYL KETONE	93-08-3 202-216-2	GHS07 Wng Eye Irrit. 2, H319	1<= x%< 2.5
ETHYL BUTYRATE	105-54-4 203-306-4	GHS02, GHS07 Wng Flam. Liq. 3, H226 Eye Irrit. 2, H319	1<= x%< 2.5
BENZYL SALICYLATE	118-58-1 204-262-9 01-2119969442-31-0000	GHS07 Wng Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	0<= x%< 1
BUTYLATED HYDROXYTOLUENE	128-37-0 204-881-4 01-21198480433-40-0000	GHS09 Wng Aquatic Acute 1, H400 M Acute= 1 Aquatic Chronic 1, H410 M Chronic= 1	0<= x %< 1

Relevant concentration limits:

Identification	CAS No. EC No. Registration number	Relevant concentration limits	ATE
ETHYL MALTOL	4940-11-8		Oral: ATE= 1200

in accordance with Regulation (EC) No.

## Version

Printed on: February 22, 2024

	225-582-5		mg/kg MC
METHYL BETA-NAPHTHYL KETONE	93-08-3 202-216-2		oral: ATE= 3100 mg/kg MC
BENZYL SALICYLATE	118-58-1 204-262-9 01-2119969442-31-0000		Oral: ATE= 2200 mg/kg MC

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Hold the eyelids open and rinse thoroughly with soft, clean water for 15 minutes.

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognized cleaning agent.

Be aware that the product may remain between the skin and clothing, watches, shoes, etc.

If symptoms of an allergic reaction occur, seek doctor's advice.

If the contaminated area is extensive and/or there is skin damage, consult a doctor or transport the victim to a hospital.

Do not give the victim anything by mouth.  
If swallowed, if the amount is small (no more than one sip),  
rinse mouth with water and consult a doctor.  
Provide conditions for rest. Do not induce vomiting. Call a doctor  
immediately and show them the label.  
In case of accidental ingestion, contact  
a doctor to assess the need for monitoring and further  
symptomatic treatment in

## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

hospital conditions. Show label.

### 4.2 Most important acute and delayed symptoms and effects of exposure

No data available.

### 4.3 Indications for any immediate medical attention and special treatment of the victim

No data available.

---

## SECTION 5: Firefighting measures

The product is not flammable.

### 5.1 Extinguishing media

Suitable extinguishing media

water spray or water mist

Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Fire often produces dense, black smoke. Exposure to decomposition products may be hazardous to health.

Do not inhale smoke.

The following combustion products may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

### 5.2 Information for the fire department

No data available.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment, and emergency procedures

Refer to the safety measures listed in sections 7 and 8.

#### For non-emergency responders

Avoid skin and eye contact.

#### For emergency responders

Strawberry

VersionUpdated: February 22, 2024Printed on: February 22, 2024

Persons carrying out the intervention shall be equipped with appropriate personal protective equipment (see section 8).

6.2 Environmental precautions

Contain and collect spilled or leaked material using non-combustible absorbent material such as sand, earth, vermiculite, diatomaceous earth, in barrels for disposal.

Prevent material from entering sewers or waterways.

6.3 Methods and materials for preventing the spread of contamination and for decontamination

Cleaning with detergents is recommended; do not use solvents.

6.4 References to other sections

No data available.

SECTION 7: Handling and storage of substances and mixtures

Recommendations for storage rooms also apply to workshops where the mixture is used.

People who have ever experienced skin allergies should not come into contact with this mixture.

7.1 Precautions for safe handling

Precautions	Wash hands after each use. Remove contaminated clothing and wash it before reuse. Ensure adequate ventilation, especially in enclosed rooms.
Fire prevention	Use in well-ventilated areas. Keep away from unauthorized personnel.
Recommended equipment and procedures	Personal protective equipment - see section 8. Follow the precautions on the label and industrial safety regulations. Open containers should be carefully closed and store in an upright position.
Prohibited equipment and practices	In rooms where the mixture is used, smoking, eating, or drinking.

7.2 Conditions for safe storage, including any incompatibilities

Storage	Keep container tightly closed in a dry,
---------	---

Packaging

well-ventilated place.

The floor must be impermeable and form a collection basin so that in the event of accidental spillage, the liquid be able to escape beyond this area.

Always store in packaging made of the same the same material as the original.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protective equipment

8.1 Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
128-37-0	2 (IFV) mg/m3			A4	

- Germany - AGW (BAuA - TRGS 900, 02/2022):

CAS	VME:	VME:	Exceeded	Comments
128-37-0		10 E mg/m3		4 (II)

- France (INRS - Tools 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm:	VME- mg/m3	: VLE-ppm	VLE- mg/m3 :	Comments :	No. according to the French Table of Occupational Diseases



Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

128-37-0	-	10	-	-	-	-
----------	---	----	---	---	---	---

- Poland (Journal of Laws of 2018, items 917, 1000, and 1076):

CAS	TWA:	STEL:	Ceiling:	Definition	Criteria :
103-23-1	400 mg/m3				

8.2 Exposure control

Personal protective equipment, such as personal protective equipment

Pictogram(s) indicating the obligation to use personal protective equipment (PPE):



Personal protective equipment used should be clean and maintained in good condition. Store personal protective equipment in a clean place, away from the work area.

Do not eat, drink, or smoke while using. Remove contaminated clothing and wash it before reuse. Ensure adequate ventilation, especially in enclosed spaces.

8.2.1 Personal protective equipment

Eye/face protection	Avoid contamination of the eyes. Use eye protection designed to protect against liquid splashes. Before each use, wear safety glasses compliant with PN-EN 166.
Hand protection	Wear appropriate gloves that protect against chemicals, compliant with the EN ISO 374-1 standard. The choice of gloves depends on the application and the length of time they are used at the workstation. Protective gloves should be selected according to the workplace, taking into account: other chemicals that may be used, necessary protection against physical hazards (cuts, puncture, thermal protection), required ease of

Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

Body protection

Handling.

Recommended glove type:

- PVA (polyvinyl alcohol)
- Butyl rubber (isobutylene/isoprene copolymer)

Avoid skin contamination.

Wear appropriate protective clothing.

Type of suitable protective clothing:

In case of heavy splashes, wear clothing that protects against liquid chemicals, with liquid-tight liquid form (type 3), compliant with EN14605/A1, to avoid any contact with the skin.

In case of splash hazard, wear clothing providing limited protection against liquid chemicals (type 6), compliant with EN13034/A1, to avoid any contact with the skin.

Personnel should wear work clothes that are washed regularly.

After contact with the product, wash all contaminated parts of the body.

SECTION G: Physical and chemical properties

G.1 Information on basic physical and chemical properties

Physical state	non-sticky liquid
Form	No data available.
Color	Undefined
Taste	No data available.
Smell	Not specified.
Odor threshold	Not specified.
Flash point	87.00 °C.
Lower explosion limit	Not specified.
Upper explosion limit	Not specified.
Flammability	not determined.
Particle size	No data available.
Oxidizing properties	No data available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
pH	Not determined.
Vapor pressure	Not specified.

## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

Density	< 1
Bulk density	No data available.
Solubility in water	Insoluble.
Solubility/solidification	Not determined.
Partition coefficient: n-octanol/water	Not determined.
Kinematic viscosity	No data available.
Relative vapor density	Not determined.
Evaporation rate	No data available.
Explosive properties	No data available.

**G.2 Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

This mixture is stable under the storage and handling conditions recommended in Section 7.

**10.3 Possibility of hazardous reactions**

When exposed to high temperatures, the mixture may release hazardous decomposition products such as carbon monoxide and carbon dioxide, fumes, nitrogen oxide.

**10.4 Conditions to avoid**

No data available.

**10.5 Incompatible materials**

No data available.

**10.6 Hazardous decomposition products**

The following products may be released/formed as a result of thermal decomposition:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

**SECTION 11: Toxicological information****11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008**

Exposure to solvent vapors contained in the mixture above the indicated exposure limits may cause adverse health effects such as irritation of the mucous membranes and respiratory system, damage to the kidneys, liver, and central nervous system.

Symptoms include headaches, numbness, dizziness, fatigue, and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the mixture may cause removal of the natural oil layer of the skin and cause non-allergic contact dermatitis and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage. May cause an allergic reaction following skin contact.

**Acute toxicity**

BENZYL SALICYLATE (CAS: 118-58-1)

Oral route: LD50= 2200 mg/kg body weight/day

METHYL BETA-NAPHTHYL KETONE (CAS:  
93-08-3)

Oral route: LD50= 3100 mg/kg body weight/day

ETHYL MALTOL (CAS: 4940-11-8)

Oral route: LD50= 1200 mg/kg body weight/day

**11.2 Information on other hazards****CIRC (International Agency for Research on Cancer) monograph(s):**

CAS 128-37-0: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

CAS 103-23-1: IARC Group 3: Substances that cannot be classified as carcinogenic to humans.

**SECTION 12: Ecological information**

This product is toxic to aquatic organisms, causing long-term changes. Do not allow the product to enter sewage systems or waterways.

**12.1 Toxicity**

No information on toxicity to the aquatic environment is available for this mixture.

Strawberry		
Version	Updated: February 22, 2024	Printed on: February 22, 2024

12.2 Durability and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other harmful effects

No data available.

SECTION 13: Waste treatment

Proper waste management of the mixture and/or container should be determined in accordance with the provisions of Directive 2008/98/EC.

13.1 Waste disposal methods

Do not discharge into drains or waterways.

Product	Waste management should be carried out without posing a risk to human health and without posing a risk to the environment, in particular to water, air, soil, fauna, and flora. Recycle or dispose of in accordance with applicable regulations by a licensed waste treatment company. Do not contaminate soil or water with waste, do not dispose of it in the environment.
Contaminated packaging	Empty the container completely. Keep the label(s) on container. Hand over to a licensed waste processing company waste processing.
Dispose of in accordance with local regulations.	

Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

SECTION 14: Transport information

Transport the product in accordance with the provisions of ADR for road transport, RID for rail transport, IMDG for sea transport, and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

14.1 UN number (UN number)


3082

14.2 Proper shipping name UN

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(butylated hydroxytoluene)

14.3 Transport hazard class(es)

- Classification:



14.4 Packing group

III

14.5 Environmental hazards

- Environmentally hazardous substance:



14.6 Special precautions for users

ADR/RID	Class	Code	Packing group	Label	Number	LQ	Regulations	EQ	Cat.	Tunnel
---------	-------	------	---------------	-------	--------	----	-------------	----	------	--------

							Special			
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

Not subject to these regulations. Q<= 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Packing group	LQ	EmS	Regulations	EQ	Stowage Handling	Segregation
	9	-	III	5 L	F-A. S-F	274 335 969	E1	Category A	-

Not subject to these regulations Q<= 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Packing group	Passenger	Passenger	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158	E1
	9	-	III	Y964	30 kg G	-	-	A197 A215	E1

Not subject to these provisions Q<= 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see section 2.7 of ICAO/IATA and chapter 3.4 of ADR and IMDG. For excepted quantities, see section 2.6 of ICAO/IATA and chapter 3.5 of ADR and IMDG. Marine pollutants (IMDG 3.1.2.9): (ethyl methylphenylglycidate)

14.7 Marine transport in bulk in accordance with IMO instruments

No data available.

SECTION 15: Regulatory information

15.1 Legal provisions relating to safety, health, and environmental protection specific to substances or mixtures mixtures

- Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of December 18, 2006 on the Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

authorization and restrictions on chemicals (REACH) and establishing a European Chemicals Agency, amending

Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94, as well as

Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, and 2000/21/EC, as amended.

- Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labeling, and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1

packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No.

1907/2006, as amended

- Directive 2008/98/EC of the European Parliament and of the Council of November 19, 2008 on waste and repealing certain

directives.

- Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2011 No. 63 item 322, as amended)

- Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21, as amended)

- Act of June 13, 2013 on packaging and packaging waste management (Journal of Laws of 2013, item 888, as amended).

- Regulation of the Minister of the Environment of December 9, 2014 on the waste catalog (Journal of Laws of 2014, item 1923)

- Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of

the workplace (Journal of Laws of 2005, No. 11, item 86, as amended)

- Regulation of the Minister of Economy of December 21, 2005 on the essential requirements for personal protective equipment

(Journal of Laws of 2005, No. 259, item 2173)

- Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general health and safety regulations



## Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

(Journal of Laws of 1997, No. 129, item 844, as amended)

- Act of August 19, 2011 on the transport of dangerous goods (Journal of Laws of 2011, No. 227 item 1367, as amended)

- Regulation of the Minister of Labor and Social Policy of June 6, 2014 on the maximum permissible concentrations and intensities

of factors harmful to health in the work environment (Journal of Laws of 2014, item 817, as amended) Information on classification and labeling contained in point 2:

The following regulations have been taken into account:

- Regulation (EC) No. 1272/2008 amended by Regulation (EC) No. 2022/692 (ATP 18) Information on packaging:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 REACH:

The mixture does not contain any substances subject to restrictions in accordance with Annex XVII to Regulation (EC) No. 1907/2006

(REACH): <https://echa.europa.eu/substances-restricted-under-reach>.

Explosive precursors:

The mixture does not contain any substances subject to Regulation (EU) 2019/1148 on the marketing and use of

of explosives precursors.

Special provisions:

No data available.

### 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

As we are not familiar with the user's working conditions, the information provided in this product safety data sheet is based on our current knowledge and national and European Community regulations.

Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

The mixture should not be used for any purpose other than those specified in Section 1 without first obtaining written instructions on how to handle it.

The user is always responsible for taking the necessary measures to comply with legal requirements.

The information provided in this safety data sheet should be considered as a description of the safety requirements associated with this mixture and not as a guarantee of its properties.

Full text of H statements:

- H226

H302

H317

H319

H400

H410

H411
- Flammable liquid and vapor.

Harmful if swallowed.

May cause an allergic skin reaction.

Irritating to eyes.

Very toxic to aquatic life.

Very toxic to aquatic life with long-term effects.

Toxic to aquatic life with long-lasting effects.
- H412

Harmful to aquatic life with long-lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone number		Country	Phone no.
	All Europe	+44 1235239670	APAC	New Zealand	+6499291483
	France	+33 172 11 00 03		Australia	+64 9 929 1483
	Germany	+49 89 220 6112		South Korea	+64 2 8014 4558
Europe	Spain	+34 91 114 2520		All East/South Asia	+65 3158 1074
	Italy	800 699 792		Sri Lanka	+65 3158 1195
	Netherlands	+31 10 713 8195		Taiwan	+886 2 8793 3212
	Turkey	+44 1235 239670		Japan	0120 015 230
	Norway	+47 2103 4452		Indonesia	007 803 011 0293

Strawberry

Version

Updated: February 22, 2024

Printed on: February 22, 2024

	Greece	+30 21 1198 3182		Malaysia	+60 3 6207 4347
	Portugal	+351 30880 4750		Thailand	001 800 120 666 751
	Denmark	+45 8988 2286		India	+65 3158 1198
	Sweden	+46 8 566 42573		Pakistan	+65 3158 1329
	Poland	+48 22 307 3690		Bangladesh	+65 3158 1198
	Czech Republic	+420 228 882 830		Philippines	+63 2 8231 2149
	Finland	+358 9 7479 0199		Vietnam	+84 28 4458 2388
Middle East/ Africa	All Middle East/Africa	+44 1235 239671		Korea	+82 2 3479 8401
	Bahrain and Middle East Africa	+44 1235 239671		Mexico	+52 55 5004 8763
	Africa/South Africa	+27213002732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789	LATAM	Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			